
Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



ALFREDBRIDGEMAN

ANNUAL DESCRIPTIVE CATALOGUE OF



SEEDS GROWER AND DEALER

GARDEN TOOLS AND HORTICULTURAL BOOKS

37 EAST NINETEENTH ST.

NEW YORK CITY

USEFUL TABLES

FOR

GARDENER AND FARMER.

Seed for a Given Number of Plants, etc.

Cabbage I oz. 3,000 plants. Cauliflower I " 3,000 " Celery I " 4,000 " Eggplant I " 2,000 " Endive I " 3,000 " Lettuce I " 4 000 " Pepper I " 2,000 " Tomato I " 2,000 " Pole Beans I qt. to 150 hills.	Marrow Squash 1 oz. to 30 hills. Asparagus 1 " 60 ft. dri'll. Beet 1 " 50 " Carrot 1 " 150 " Okra 1 " 40 " Onion 1 " 100 " Onion Sets, Small 1 qt. to 50 " Parsley 10z to 150 " Parsnip 1 " 200 " Padish " 10 " 200 "
Corn	itadish 1
Cucumber 50 "	Salsify
Watermelon i " 30 "	Spinach
Muskmelon	Turnip
Pumpkin	Peas
Early Squash 50 "	Dwarf Beans I " 100 "

Seed Usually Sown upon One Acre.

Plants or Trees for One Acre.

		Distance Apart. N	
6 inches by 6 inches	. 174,240	5 ft. by 5 ft	1,742
ı ft.byı ft	. 43,560	6 it. by 6 ft	1,210
1½ ft. by 1½ ft	. 19 360	8 ft. by 8 ft	680
2 ft. by 1 ft	. 21.780	9 ft. by 9 ft	537
2 ft. by 2 ft	. 10 890	to ft. by 10 ft	485
2½ ft. by 2½ ft	. 6,970	12 ft. by 12 ft	302
3 ft. by 1 ft	. 14,520	16 ft, by 16 ft	170
3 ft. by 2 ft	. 7.260	20 ft. by 20 ft	110
3 ft. by 3 ft	. 4840	25 ft. by 25 f	70
1, ft. by 4 ft	2,722	30 ft. by 30 ft	

Beneral Remarks.



HE PROPRIETOR, having devoted many years to horticulture in its several departments, feels confident in his ability to select from the vast and confusing list of seeds such species and varieties only as are really worthy of cultivation, to the exclusion of all the various sorts that are not adapted to our climate.

but which are too frequently recommended and sold, to the serious loss and disappointment of planters.

As the profession has always been pursued with a view to a permanent business, great care is taken to preserve an unsullied reputation, by having supplies of all the leading kinds of seeds raised annually by careful growers, from roots or seeds selected by the proprietor. Such seeds as are not successfully grown in our climate are imported from the most reliable seedsmen in Europe. The purity and germinating qualities of all important seeds are tested each year, under the proprietor's personal supervision.

The observance of such a system may be considered as a guarantee that no seeds will be offered except such as are known to possess the most essential good qualities for general purposes.

To aid the amateur and others in making selections, some of the leading and most desirable kinds are marked with an asterisk, thus (*).

The proprietor can here only enumerate the leading articles in his collection; and from a conviction that the seedsman's fair reputation is often unjustly defamed through failure of seeds, he would with brevity state some of the causes:

First—That some cultivators, through ignorance or forgetfulness of the fact that the products of a garden are natives of various soils and climates, and require peculiar management, sow their seeds at an improper season. To aid such, the most tender species, which should not be placed in the open ground until settled warm weather, are marked thus (†). The half-hardy, which are subject to risk if sown when frost prevails, are marked thus (‡). The early and most hardy species and varieties should not be planted until the ground can be brought into good condition, as some species of plants that in an advanced state of growth will stand a hard winter are often cut off by a very slight frost while young, especially if exposed to the heat of the sun after a frosty night. To guard against disappointment, reserve some of the seed for a later sowing.

Second—That some species of seeds, such as Beans, Beets, Cabbage, Lettuce, Radishes, Salsify, Turnips, etc., being, from their nature, apt to

vegetate quickly, are often liable to be devoured by insects within 48 hours after they are sown, and before a plant is seen above ground, unless a suitable remedy is applied in time to destroy them.

Third—That some species, such as Carrots, Celery, Leeks, Onions, Parsley, Parsnips, Spinach, etc., being naturally of tardy growth—taking (in unfavorable seasons) from two to four weeks to vegetate—are apt to perish through incrustation of the soil, or other circumstances which cannot always be controlled.

Fourth—That failures often occur through seeds being deposited too deep in the ground, or left too near the surface; sometimes for want of sufficient seed in a given spot, solitary plants perish, lacking strength to open the pores of the earth; and very often injudicious management in manuring and preparing the soil will cause failures.

To insure a fair chance, plant your seeds moderately thick, and thin out the surplus plants while young.

In planting seeds in drills (which is the most desirable plan), the size of the seed and strength of its germ should be considered; large seeds, producing vigorous roots, require deeper planting than diminutive seeds, producing delicate roots and slender stalks; the smallest seeds should not be covered more than a quarter of an inch.

For instructions on these and other subjects of gardening, the reader is referred to Bridgeman's Book on Gardening, and other works by celebrated authors, of which a list will be found in this Catalogue.

Notwithstanding the great care used to supply every article true to name and of good quality, nothing is warranted.

Boxes, barrels and bags used in packing will be charged for at cost prices.

It is requested that explicit directions for marking and forwarding packages accompany each order. All goods will be legibly marked as directed, and delivered to vessels in port, and railroad and express offices in the city of New York, free of expense. After shipment, they will be at the risk of the purchaser.

The following are published annually, and mailed free to all applicants:

CATALOGUE OF VEGETABLE, FLOWER, GRASS, HERB AND MISCELLANEOUS SEEDS, with brief directions for their care and treatment. (This one.) Ready in January.

Market-Gardeners' Priced Catalogue of Vegetable Seeds, etc. Ready in January.

CATALOGUE OF DUTCH BULBOUS ROOTS. Ready in September.


Address all orders plainly to

Alfred Bridgeman,
37 EAST NINETEENTH STREET, NEW YORK.

Novelties and Specialties in FLOWER SEEDS.

ASTERS.

Comet, Snow=White. The flowers of this splendid new class are very large and extremely double, with incurved petals, giving them the appearance




Snowball, or Princess. (Benary.) Flowers pure white; in form they are semi-spherical, and composed of quite short and very thickly set imbricated petals. Pkt. 25 cts.



A splendid Columbine, the result of a cross between A. glandulosa and A. Wilmanni. The flowers are 4 inches in diameter, and are of a fine, rich blue. Pkt. 25 cts.



New. A cross between B. Vernon and Schmidti. Rosy carmine; profuse bloomer; excellent for groups. Pkt. 25c.



This novelty is the result of careful cultivation extending over a period of many years. The plant is of dwarf habit, and above the beautiful green foliage is elevated the charm-

ing comb, of a magnificent fiery red on a golden yellow ground. The peculiar beauty of this new Cockscomb is seen the best in full sunshine, where the flower much resembles a blaze. This novelty is equally well adapted for the garden or for pot-culture. Pkt. 15 cts.

CHRYSANTHEMUMS.

Carinatum, "Purple-Crown." This new Chrysanthemum is of dwarf, compact, and very regular growth. Its flowers are produced in great abundance, and are purple-scarlet, ornamented inside with a golden ring. The foliage being yellow, makes it very striking. Pkt. 15c.

Carinatum plenissimum foliis aureis. New. A notable addition to the new section of golden-

leaved annual Chrysanthemums. The large and very double flowers are of all colors, the red shades being especially strongly represented. The plants are only half the height of the ordinary variety, and will be found very useful in the garden and as cut-flowers. Pkt. 25c.


Ball or Jewel Aster.

CINERARIA HYBRIDA GRANDI-FLORA SANGUINEA.

An exceedingly fine new variety of the large-flowering class of Cinerarias, the color being of a rich blood red. Pkt. 50 cts.

DATURA CORNUCOPIA. ("HORN OF PLENTY.")

The plant is of a very robust habit. The stem is thick, dark brown-purple, shining as if varnished. The branches are numerous, spreading symmetrically 3 or 4 feet in every direction. The leaves are large, of



Cineraria hybrida grandiflora.

a dark green color. The flowers are trumpet-shaped, measuring 8 to 10 inches in length and



Datura Cornucopia.

5 to 7 across the mouth, and thus form three distinct flowers growing each within the other; the throat and mouth of the corolla are a delicate French white, beautifully contrasted and marbled with royal purple on the outside. Pkt, 10 cts... oz. 75 cts.

HEUCHERA ALBA.

New. A valuable variety of the well-known H. sanguinea. The long slender flower-stalks are thickly clothed with pure white long-lasting flowers, which through their elegant appearance are highly effective in the border and also very useful for bouquets. Pkt. 25 cts.

HIBISCUS, CRIMSON EYE.

A robust grower, with dark red stems and fo-In liage. The flowers are of immense size, often // measuring 10 inches in circumference. The color is of the purest white, with a large spot of deep, velvety crimson in the center of each flower. It will succeed anywhere, and is perfectly hardy, blooming very finely the first year from seed sown in the open ground. A splendid plant for hardy borders. Pkt. 10 cts.

LOBELIA ERINUS COMPACTA, "GOLDELSE."

This grand novelty, with its golden yellow foliage and deep blue flowers, makes a contrast of charming beauty. Pkt. 20 cts.

SWEET PEA, CUPID.

Foliage very dark green, blossoms pure waxy white, of unequaled substance, and fully as large as Emily Henderson. The plant is about 5 inches high and 12 inches in diameter. The stems are 4 inches long, bearing 2 or 3 blossoms. A very free bloomer; begins to flower as early as May, and continues until November. Pkt. 15 cts., oz. 50 cts.

MIGNONETTE, GOLDEN MACHET.

The plants are of strong, compact growth, with large crinkled leaves, and bear long, massive spikes of golden yellow blossoms; excellent for pots or forcing. Pkt. 20 cts.


NASTURTIUM, LILLIPUT.

An entirely new class of dwarf Nasturtiums; the plant is in every respect smaller than

the Tom Thumb. The dainty little flowers, produced in the greatest profusion, and peeping up well above the small cut and bushy foliage, make it one of the prettiest of annuals. Pkt. 10 cts.

PAPAVER GLAUCUM. (TULIP POPPY.)

The plant of this splendid annual grows from 12 to 14 inches high, and produces well above the foliage 50 to 60 large and splendid flowers of the most vivid scarlet imaginable. Pkt. 10 cts.



Sweet Pea, Cupid.

Novelties and Specialties in VEGETABLE SEEDS.

ASPARAGUS, COLUMBIAN MAMMOTH WHITE.

This variety is a sport from Conover's Colossal. It produces pure white shoots, and requires no artificial blanching. It is a strong grower, and comes remarkably true from seed. Oz. 10 cts., lb. 75 cts.

VALENTINE WAX BEAN.

This is an improved Extra Early Valentine Bean with round wax pods. It grows about 15 inches high, with a strong stalk and an abundance of foliage remarkably free from rust. Beans planted June 18 produced pods 4 inches long by July 21. The pods are very meaty and almost stringless. Qt. 30 cts., bus. \$5.

BEET, COLUMBIAN TURNIP.

A round, smooth-skinned variety with deep blood-red flesh. Very early and of the finest quality. Per oz. 10 cts., lb. 75 cts.

CARROT, HALF-LONG RED CARENTAN.

A slender-growing variety; very short top, entirely without core; useful for forcing. Oz. 10 cts., lb. 75 cts.

CAULIFLOWER, ERFURT EXTRA-EARLY DWARF.

The best for forcing and general purposes as an early variety; hardy, dwarf and compact, with solid white heads of superior quality. Pkt. 50 cts., oz. \$6.

CELERY, THORBURN'S FIN DE SIÈCLE.

It is not a sport or hybrid, white or yellow, but a common green Celery of the old familiar kind. But it has a pedigree and breeding and traditions and a name which it must preserve. After growing to a great size it lends itself to the blanching process, assuming a rich yellow tinge in the heart, and presenting a very attractive appearance. It has also proved to be the largest, hardiest, solidest, crispest, best keeper and best shipping winter Celery we know of. Per pkt. 25 cts.

CORN, CHAMPION SWEET.

This Corn is, without doubt, the earliest large Corn ever introduced. Ears nearly as large as the Mammoth, with a medium-sized white cob; kernels plump, pearly white, very sweet, tender and full of milk. Qt. 20 cts.

LETTUCE, BUTTERCUP.

A cabbage variety; excellent for forcing or for summer use; remarkable for its beauty of foliage, solid golden head, tenderness and delicacy of flavor. Oz. 20 cts., lb. \$1.25.

PEAS.

Duke of York. This splendid new wrinkled Pea is the most distinct and valuable that has been introduced for years. It is of robust growth, very large, long and full podded, and of the highest flavor. Height, 3 feet. Ot. 50 cts.

Ot. 50 cts.


The Queen. A new wrinkled variety;
pods very large, produced mostly in
pairs. The Peas are large and of a
delicious flavor. Ot 30 cts

delicious flavor. Qt. 30 cts.

Heroine. This is a medium early, and grows uniformly from 2 to 2½ feet high. It comes in between Advancer and Champion of England, and bears a profusion of large, long, slightly curved, pointed pods, containing 9 or 10 large Peas of the finest quality. Qt. 30c.



Thorburn's Fin de Siecle Celery.



New White Peach-Blow Potato.

NEW WHITE PEACH-BLOW POTATO.

This is a seedling of the old "Excelsior," which has always been considered the standard for quality as well as the latest keeper known. In table quality this new seedling is fully equal to its parent, which is the very highest recommendation that could be given it. The flesh, as well as the skin, is of extreme whiteness. It is very dry when cooked, and does not fall in pieces, as most dry varieties do. It is the most freest from scab of any variety we have any knowledge of. It has been, so far, entirely free from rot. There has never yet been a hollow-hearted one found among them. The vines make a very heavy, luxuriant growth. The flower is large and purple. In growth, quality and general appearance, this variety resembles the old and once popular "White Peach-Blow," but it will yield very much more, and is earlier in ripening. Bus. \$5, bbl. \$12.

PUMPKIN, JONATHAN.

This is one of the best crookneck varieties ever introduced. It is a good keeper, of large size, very prolific, and wonderfully smooth and even fleshed, being free from that coarse stringiness which most varieties have. Oz. 10 cts., lb. 75 cts.

RADISH, Scarlet Globe.

New; excellent for frame, and has short leaves; brilliant red: flesh fine, white, tender and crisp. Oz. 15 cts., lb. \$1.

SALSIFY, MAMMOTH SANDWICH ISLAND.

In size twice as large as the ordinary variety. The roots are smooth; flesh fine-grained and of pleasant flavor. Oz. 20 cts., lb. \$1.50.

SPINACH, LONG-STANDING.

Thick, dark green leaves, of compact growth, standing longer than any other sort before running to seed. Lb. 40 cts.

UPLAND CRESS.

A new hardy perennial vegetable, thriving on any soil wet or dry. It is of easy culture, and when once established requires little after-care. In taste it is very agreeable, having the identical flavor of true water cress. Pkt. 20 cts., oz. \$1.50.

COLLECTIONS OF SELECT VEGETABLE GARDEN SEEDS.

STANDARD SORTS for Family Use, in quantities to suit Small or Large Gardens, as follows:	No. 1. \$5. Contains	No. 2. \$9. Contains	No. 3. \$12. Contains	No. 4. \$16. Contains	No. 5. \$20. Contain
	*/ -+				
Beans Early Valentine Bush	½ pt.	ı pt.	ı qt.	ıqt.	2 qts.
" Black Wax Bush	½ pt.	ı pt.	ı qt.	2 qts.	2 qts.
"Refugee Bush	½ pt.	ıpt.	ı qt.	ıqt.	2 qts.
"Large White Lima Pole	ıpt.	ı pt.	ı qt.	3 qts.	2 qts.
Beet Extra Early Turnip	I OZ.	2 OZ.	4 02.	4 OZ.	8 oz.
" Early Blood Turnip	I OZ.	2 OZ.	4 OZ.	8 oz.	8 oz.
Cabbage Early Ox-Heart	pkt.	1/2 OZ.	1/2 OZ.	1/2 OZ.	I OZ.
"Early Winnigstadt	pkt.	½ OZ.	$\frac{1}{2}$ oz.	I OZ.	I OZ.
" Large Late Drumhead	pkt.	½ OZ.	I OZ.	I OZ.	I OZ.
"Drumhead Savoy	pkt.	12 OZ.	½ OZ.	1/2 OZ.	I OZ.
"Red, or Pickling	pkt.	pkt.	pkt.	12 OZ.	I OZ.
Cauliflower. Paris Nonpareil	pkt.	14 OZ.	$\frac{1}{2}$ oz.	1/2 OZ.	I OZ.
Carrot Early Orange, or Horn	I OZ.	2 OZ.	2 OZ.	4 OZ.	8 oz.
"Long Orange	I OZ.	2 OZ.	4 02.	8 oz.	8 oz.
Cress Curled, or Pepper Grass	I OZ.	2 OZ.	2 OZ.	2 OZ.	4 OZ.
Corn Early Sugar	½ pt.	ıрt.	ıqt.	ıqt.	2 qts.
"Mammoth Sugar	½ pt.	ı pt.	Ιqt.	2 qts.	2 qts.
" Stowell's Evergreen	½ pt.	I pt.	ı qt.	2 qts.	2 qts.
Celery Early White Solid	pkt.	½ oz.	I OZ.	I OZ.	I OZ.
Cucumber Early Russian	pkt.	I OZ.	I OZ.	2 OZ.	4 02.
"Long Green	I OZ.	I OZ.	2 OZ.	4 OZ.	4 OZ
Egg-plant Improved N. Y. Purple	pkt.	¼ oz.	¼ oz.	½ OZ.	1/2 OZ
Endive Green Curled	pkt.	1/2 OZ.	½ oz.	I OZ.	I OZ
Kohlrabi Early White Vienna	pkt.	¼ oz.	½ oz.	I OZ.	I OZ
KaleGreen Curled Scotch	pkt.	I OZ.	I oz.	I OZ.	I OZ.
Lettuce Early Curled Silesia	pkt.	$\frac{1}{2}$ oz.	$\frac{1}{2}$ oz.	I OZ.	I OZ
"Early Tennisball	pkt.	$\frac{1}{2}$ oz.	I oz.	I oz.	I OZ
" Large Butter-Head	pkt.	1/2 OZ.	I oz.	I oz.	2 OZ
Leek Large Flag	pkt.	1/2 OZ.	I oz.	I OZ.	2 OZ.
Melon Orange Christina	pkt.	1/2 OZ.	I oz.	2 OZ.	4 OZ.
" Green Citron (netted)	pkt.	I OZ.	I oz.	2 OZ.	4 02.
" Mountain Sweet Water	I OZ.	I OZ.	2 oz.	4 OZ.	4 OZ
Onion Extra Early Red	½ OZ.	I OZ.	2 oz.	2 OZ.	4 02
" White Portugal	½ OZ.	I OZ.	2 oz.	2 OZ.	4 OZ
eas Carter's "First Crop"	ı pt.	ıqt.	2 qts.	2 qts.	2 qts
"Laxton's Alpha	ı pt.	ıqt.	Ιq.	2 qts.	2 qts
" McLean's Little Gem	ıрt.	ıqt.	Ιq.	I qt.	2 qts.
McLean's Advancer	ı pt.	ı qt.	Ιqt	I qt.	2 qts
Champion of England	ıpt.	r qt.	2 qts.	2 qts.	2 qts
arsley Extra Curled	pkt,	I OZ.	I OZ.	2 OZ.	I OZ
epper Sweet Mountain	pkt.	¼ oz.	½ OZ.	I OZ.	I OZ
arsnipCup, or Guernsey	I OZ.	I OZ.	2 OZ.	4 OZ.	8 oz
RadishLong Scarlet	pkt.	2 OZ.	2 OZ.	4 oz.	4 02
Red Turnip, or Cherry	pkt.	2 OZ.	4 oz.	4 oz.	8 oz
"Chinese Winter	pkt.	I oz.	2 oz.	2 OZ.	2 OZ
alsify Long White	½ oz.	1/2 OZ.	I OZ.	2 OZ.	4 OZ
quashEarly Bush	I oz.	I OZ.	2 oz.	2 OZ.	4 OZ
Hubbard Winter	I OZ.	I OZ.	2 oz.	4 OZ.	4 OZ
pinachRound-leaved Flanders	4 OZ.	6 oz.	8 oz.	8 oz.	ı lb
Tomato Early Red Smooth	pkt.	1/2 OZ.	1/2 OZ.	I oz.	I OZ
The Trophy	pkt.	½ oz.	1/2 OZ.	I OZ.	I OZ
Turnip White Dutch	I oz.	2 02.	4 oz.	8 oz.	8 oz
" Yellow Stone	I OZ.	2 oz.	4 oz.	8 oz.	8 oz.


General List of VEGETABLE SEEDS.

For the accommodation of very small growers, those seeds priced by the ounce or quart at 30 cents and under may be had put up in 5-cent papers; seeds priced per ounce or quart above 30 cents may be had put up in papers costing not less than 10 cents.

The names printed in smaller Roman type are identically the same or similar varieties to those immediately preceding, printed in heavy-faced type.

For price-list by the pound, bushel or barrel, see pages 26 to 28.

For New Vegetable Seeds, etc., see pages 5 and 6.



jerusutem tirtiemoni.

‡ ARTICHOKE.

Artichaut, Fr. Artischocke, Ger. Alcachofa, Sp.

Sow early in spring, in deep, rich soil, and when large enough transplant into rows 4 feet apart and 2 feet between the rows. Should be protected in winter by a covering of litter.

_					Per	oz.
French, or	Green	Globe			\$0	40
,					Per	pk.
Jerusalem	Artich	okeat	25	cts	\$I	25

ASPARAGUS.

Asperge, Fr. Spargel, Ger. Esparragos, Sp. Seeds should be sown in the spring, or roots planted in the spring or autumn.

	Per oz.	4 ozs.
Palmetto	. \$ 0 I,0	\$0 25
Conover's Colossallb., 50c.	. 10	20


ASPARAGUS ROOTS.

A saving of one to two years is effected by planting roots. Those offered below are strong 2-year-old roots. For private use, the beds should be formed 5 feet wide with three rows planted in each, one in the middle and one on each side a foot from the edge; distance between the plants in the rows, 9 inches.

	Per	100	I,C	000
Palmetto, 2 years old	\$0	75	\$5	00
Conover's Colossal, 2 years old		75	5	00



Conover's Colossal Asparagus.



Long Yellow Six-Weeks Bean.

†BEANS.

Dwarf or Bush.

Haricot, Fr. Bohnen, Ger. Frijole Nano, Sp. Plant from the middle of April to August for successional crops, in drills 2 inches deep and from 2 to 3 feet apart.

*Extra Early Valentine.....\$0 25 \$1 25

Per qt. 8 qts.

I 25 I 25

LAUR Lairy valentin			~	~)	*
*Long Yellow Six-Wee	eks			25	
*Early Mohawk				25	
	r qt.	8 q	ts.		
Early China Dwarf. \$0	25	\$1	2 5		
*Extra Early Refugee	25	I	25		
Golden Refugee	25	I	25		
*Refugee, or 1,000-					
to-1	25	I	25		
White Kidney, or					
Royal	20	I	00	4	111.5
Red Kidney, or					
French	20	1	00		
White Marrowfat	20	I	00		4
*Valentine Wax	30	I	50		
*Yosemite Mammoth					1
Wax	30	I	50	6	
Crystal White Wax	30	I	50		Æ
*Black Wax (with				7	
yellow pods)	25	1	25	6	#
*Golden, or Cream Wax	25	I	25		30
*Golden Wax Improved	25	1	25	()	To the same
*Wardwell's Kidney				1 mg	万米
W ax	25	1	25	Ming !	=
Flageolet Wax	30	. 1	50	Cathists (
*Wonder of France . Flageolet Improved Gre	30 een.	1	50	6	
Canadian Wonder	30	1	50		
*Burpee's Bush Lima	30	1	50	-	=
Dreer's Bush Lima.	30	1	50	-	
Dwarf Horticultural	25	I	25		

For prices per bushel, see

page 26.

BEANS.

English Dwarf.

Féve de Marais, Fr. Garten Bohnen, Ger. Haba Commun, Sp.

Plant as early as practicable in spring, 4 inches apart and 2 inches deep, in drills 4 feet apart.

1	er qt.	8.6	μts.
*Sword Long Pod\$	30	\$τ	50
Long Turkey.			
*Broad Windsor (Taylor's)	30	1	50
Green Mazagan	25	I	25
English Horse Bean.			
Green Nonpareil	25	I	25

†BEANS.


Pole or Running.

Haricot á Rames, Fr. Stangen Bohnen, Ger. Frijole Vastago, Sp.

Pole Beans are more tender, and require rather more care in culture, than the Bush Beans. They succeed best in a rich, sandy loam.



Burpee's Bush Lima Bean.



Eclipse Crimson Turnip Beet.

BEANS, Pole or Running, continued.

Plant from the middle of May to July, in hills about 4 feet apart each way.

Pe	er qt.	8 0	ıts.
*Extra Early Lima\$0	40	\$1	75
*Dreer's Improved Lima	35	I	75
*Large White Lima	35	I	75
*King of the Garden Lima	35	I	75
Early Golden Cluster Wax	40	2	00
*Horticultural, or Wren's Egg.	30	I	50
Small White Lima	40	2	00
White Dutch Case-Knife	30	I	75
*Mont d'Or, or Golden Butter	40	2	00
Giant Red Wax	40	2	00
Indian Chief (with yellow pods) Black German Wax, or Algerian.	30	I	75
White Dutch Runner	30	I	75
Scarlet Flowering Runner	30	I	50
Asparagus, or Yard Long 1	co		

BEETS.

Betterave, Fr. Runkelrüben, Ger. Remolacha, Sp.

Sow during April for early, May and June for winter use, in drills about 2 inches deep and 16 inches apart.

*Extra Early Turnip\$0 Early Bassano, or Sugar.	r oz. IO	4 ozs. \$0 25
*Eclipse Crimson Turnip	IO	25
*Early Blood Turnip	10	25


Pe	r oz.	4 ozs.
*Egyptian Blood Turnip \$0	IO	\$0 25
Dewing's Blood Turnip	10	25
*Edmand's Early Blood Turnip	10	25
Columbia Turnip	10	25
Long Dark Red	10	25
*Half-Long Dark, or Pear-Shaped	15	30
Yellow Turnip, or Orange	10	25
Silver Swiss Chard	10	25
Victoria Blood-Red Swiss Chard Sea Kale Beet, for greens.	15	30
For prices per lb., see page	26.	
CATTLE BEETS.		

	Per	4 ozs.	L	ъ.
White Imperial Sugar	.,\$0	15	\$0	40
White French Sugar		15		40


MANGEL WURZELS.

Sow in May and June, in rows about 2 feet apart; thin out to 10 inches apart in the rows.

	Per 4 ozs	
Long Red	\$0 I5	\$0 40
Scarcity, or Cattle Beet.		
*Mammoth Long Red	. 15	40
*Norbiton Giant Red	. 15	50
Champion Yellow Globe	15	35
*Golden Tankard	. 15	40



Golden Tankard Mangel Wurzel.



Early Jersey Wakefield.

‡ BROCCOLI.

Chou Brocolis, Fr. Brocoli, Spargel-Kohl, Ger. Broculi, Sp.

Sow in May or June. This should be transplanted in July, in rows about 2 feet apart each way.

	Per oz.		4 OZS.	
*Extra Early White	ŧо	6 o	\$2	00
*Early Purple Cape		40	I	00
White Cape, or Cauliflower		бо	2	00
Early Walcheren (true) Walcheren Cauliflower.		50	1	50

BURNET.

Pimpernelle petite, Fr. Pimpernell, Ger. Pimpinela, Sp.

Sow in rows early in spring.

	Per oz.	4 ozs.
Garden	 .\$0 25	\$0 50

BRUSSELS SPROUTS.

Chou de Bruxelles, Fr. Grüner Sproffen, Ger. Breton de Bruselas, Sp.

Sow in May, transplant in July; cultivate same as cabbage. This is a perfectly hardy winter vegetable, and one of the best that can be grown. When properly cooked, the small tender heads melt in the mouth like fine cauliflower.

	Pe	r oz.	4 0	ozs.
*Improved Dwarf Tree or Miniature Cabbage.	. \$0	25	\$0	75

75


Roseberry, or French..... 25

TCABBAGE.

Chou pomme ou Cabus, Fr. Ropifohl, Ger. Repollo, Sp.

Sow the early varieties in protecting frames in September, or hotbeds early in the spring; sow late kinds about the middle of May; transplant in July in fresh, rich ground, in rows about $2\frac{1}{2}$ feet apart, and from 1 to 2 feet apart in rows.

	r oz.	40	zs.
Early York, or Mayso Early Royal Dwarf.	20	\$ 0	50
*Early Oxheart	20		5 0
*Early Winnigstadt, or Cone	20		50
Early Flat Dutch Early Summer, or Henderson's.	30		75
*Early Jersey Wakefield Early Nonpareil, Early Becalan.	30	1	00
*Selected All-Seasons	25		75
Early Dutch Drumhead	20		50
*Large Late Flat Dutch Premium Flat Dutch, Excelsior.	25		75
Large Late Brunswick, or Fottler's.	25		75
*Henderson's Succession	30	I	00
*Autumn King	40	I	00
*Dwarf Early Ulm Savoy	25		75
*Late Drumhead Savoy	25		75
Perfection Curled Savoy	25		75
Large Red Drumhead	25		75
Red Dutch, or Pickling	25		75
Marblehead Mammoth	20		50
Large Early Schweinfurt	20		50
Pomeranian, or Filderkraut	20		50
For prices per lo., see page 26	5.		-



Selected All-Seasons Cabbage.



Early Dwarf Snowball Cauliflower.

CARROTS.

Carrotte, Fr. Möhren, Ger. Zanahoria, Sp. Sow in April for early; middle of June for winter use, in drills about 15 inches apart.

		4 OZS.
*Extra Early Forcing\$o Orange Turnip-Rooted.	15	\$ 0 3 0
*Early Orange Horn (pointed)	15	30
*Half-Long Red (stump-rooted)	10	25
Scarlet Carentan (coreless)	10	25
*Oxheart, or Guerande	15	30
Danvers Orange Intermediate	IO	25
*Long Orange Long Scarlet or Surry, Altringham.	10	25
Large White Belgian.	10	25
For prices per lb., see page 2	26.	

CARDOON.

Cardon, Fr. Cardon, Ger.

Sow early in spring, and transplant in trenches of well-manured ground. When full-size, bind the plants together and earth up same as celery.

	_	Per oz,	4 ozs.
Large	Solid	 \$0 30	\$0 75

! CAULIFLOWER.

Choufleur, Fr. Blumentohl, Ger. Coliflor, Sp.

As a rule, early Cauliflower is a very uncertain crop. Seed sown about the middle of May, and transplanted early in July, is more likely to produce good heads. Sow for early and late, same as Cabbage.

com for carry and face, came as	-uz	···	ь~.
*Erfurt Extra Early Dwarf\$0	pkt 50		
Carrara Rock	_		
*Early Dwarf Snowball	25	4	00
Per	OZ.	4 (DZS.
*Extra Early Paris (fine)\$0	7.5	\$2	25
Half-Early Paris Nonpareil	6 o	2	00
*Lenormand's Short-Stemmed Carter's Extra Dwarf Mammoth.	7 5	2	25
Early London, or Dutch	40	1	00


Per	oz.	4 0	ozs.
Large Late Stadtholder \$0	40	\$1	00
Large Algiers (fine late)	75	2	25
Italian, or Autumn Ciant	40	1	00

CELERY.


Céleri, Fr. Sellerie, Ger. Apio, Sp.

Sow very early in spring, in moist, rich ground, when the plants are from 4 to 6 inches high; transplant into trenches 4 inches deep and 9 wide, and 3 feet from trench to trench. Set the plants 6 inches apart in the rows.

Pe	r oz.	40	ozs.
*Early Dwarf White\$0	25	\$ 0	75
Incomparable Dwarf.			
*Early White Plume		I	00
*Golden Heart Half-Dwarf			75
Golden Self-Blanching	40	I	25
*Perfection Heartwell			75
*Boston Market Dwarf White			75
*New Giant Pascal			75
Large White, or Giant			50
*Early Dwarf Red	30		75
Dwarf Crimson, Rose-colored.			
London Large Red	30		75
Sandringham Dwarf White	20		50
Turnip-Rooted Celery Early Erfurt Celeriac.	25		75
Celery Seed (for flavoring) lb. 60c.	10		20



New Giant Pascal Celery.



Types of Sweet Corn.

CHERVIL.

Cerfeuil, Fr. Rerbel, Ger. Perrifollo, Sp. Sow early in spring, and at short intervals for later use.

	Per	oz.	4 0	zs.
Curled, or Double	\$ 0	20	\$ 0	50
Tuberous-Rooted		20		75

COLLARD, or COLE-WORT.

Chou, Fr. Blätter=Rohl, Ger.

Sow from May to July for succession, in rows a foot apart, and treat same as cabbage.

				4 C	
Georgia-Grown	Collards	\$o	20	\$0	50

†SUGAR-CORN.

Mais, Fr. Welschforn, Ger. Maiz, Sp.

Plant from the middle of May to July for successional crops, in hills about 3 feet apart.

Extra Early.

	Per	qt.	8 (qts.
*Extra Early Minnesota	\$0	20	\$1	00
*Extra Early Cory		20	I	00
Perry's Hybrid		20	I	00
Dwarf Champion		20	I	00
Early Marblehead		20	I	00

Second Early.

Per	qt.	8 0	qts.
*Crosby's Early (fine)	20	I	00
Triumph Early Sugar	20	I	00
Moore's Early Concord	20	I	00
Amber Cream Sugar	20	1	00
*Squantum, or Potter's Sugar	20	1	00
*Ne Plus Ultra	20	1	00
General Crop Corn	•		
*Stowell's Evergreen\$0	20	\$ 1	00
*Country Gentleman	20	I	00
*Mammoth Sugar (extra fine)	20	1	00
Excelsior, Asylum, or Burr's. Egyptian, or Washington Market.	20	I	00
Large Eight-Rowed Sugar	20	I	00
Roslyn Hybrid	20	1	00
Black Mexican Sugar	20	1	25
	1	Per t	us.
Sweet Fodder (best for soiling)		\$1	75
For prices per bushel, see p	age	26.	

POP CORN.

Per qt. 8 qts. 8 per qt. 90 per qt. 125
FIELD CORN. Per bus.
Early Yellow Canada \$ 1 75
Large White Flint 1 75
Long Orange Flint 1 75
King Philip 1 75
Queen of the Prairie (Dent) 1 75
Golden Beauty (Dent) 1 75 We can furnish, also, other Field varieties.



Water Cress.

CORN-SALAD, or FETTI-CUS.


Mâche, Fr. Acterialat, Ger. Canonigos, Sp. Sow in September, and manage same as spinach.

	Per	oz.	4 ozs.
Small Seeded	. \$о	10	\$0 25
Large Seeded		10	25

‡CRESS, or PEPPER-GRASS.

Cresson, Fr. Rreffe, Ger. Mastuerzo, Sp. Sow at short intervals, spring and fall.

	Per	oz.	4.0	ozs.
*Upland Cress	.\$I	50		
*Extra Curled		10	\$0	25
Australian, or Golden		10		25
True Water Cress		50	I	50




†CUCUMBERS.

Concombre, Fr. Gurfen, Ger. Pepino, Sp. Sow for early in hotbeds or frames; open ground from the middle of May to August for successional crops.

Per oz. 4 ozs.

*Extra Early Russian \$0	IO	\$0 25
Early White Spined	15	30
Short Green, or Boston Pickling.	10	25
Green Prolific, or Pickling	15	25
Early Green Cluster	10	25
Early Short Prickly, Early Frame.		
Improved Long Green		30
*Thorburn's Everbearing	10	25



Early White Spined.

Khiva Brown Netted\$o	oz. 20	4 ozs. \$0 бо
Long White Spined	τ5	30
*Tailby's Hybrid		30
Long Green Turkey	IO	25
W. I. Gherkin, or Burr	20	60
German White (for forcing)	20	60
Nichol's Medium Green	10	25

ENGLISH FRAME CUCUMBERS.

Per pk	t.
General Grant\$0 2	5
Telegraph 2	5
Duke of Edinburgh 2	5
Marquis of Lorne 2	:5
Also several other English long varie-	
ties for forcing; each, per pkt 2	5
For prices per lb., see page 27.	



Improved New York Purple.

†EGG-PLANT.

Aubergine, Fr. Gierpflanze, Ger. Berengena, Sp.

Sow in hotbed or under glass, early in spring; about the end of May transplant to the open ground.

	Pe	r oz.	4 0	zs.
Early Long Purple	\$о	30	\$ I	00
*Improved N. Y. Purple		50	I	25
Large Oval Purple, Round Purple	e.			
*Early Black Pekin	٠.	40	I	00
		I	er p	kt.
Long White Chinese			. \$0	Io
Scarlet Chinese				10
Striped, or Guadaloupe				IO
White Egg-Shaped				10

‡ ENDIVE.

Chicorée-Endive, Fr. Endivie, Ger. Endibia, Sp.

Sow from April to July for succession; transplant in rich ground; manage same as lettuce.

	P	er oz.	40	zs.
*Green Curled Summer	ŧо	20	\$0	50
White Curled		20		50
French, or Moss-Curled		20		50
*Broad-Leaved		20		50
Batavian, or Escarolle.				
Brussels Chicory (Witloof)		15		25
Wild (for flavoring coffee)		15		30
(Chicory, or Succory, per lb., \$1	r.)			

GARLIC.

Ail, Fr. Anoblauch, Ger. Ajo, Sp.

Plant early in spring, in rows 10 inches apart and 2 inches deep.

KALE, or BORECOLE.

Chou-vert, Fr. Grüner-Rohl, Ger. Breton, Sp.

Sow Spring Sprouts during March and April. Sow Curled Siberian Kale during September and October; manage same as spinach. Sow all other kinds from April to June. Manage same as cabbage.

		4 OZS.
*Green Curled Scotchso	15	\$ 0 30
*Dwarf Green Erfurt	15	40
Brown, or Purple-Curled	15	40
*Curled Siberian per lb., 60 cts		25
Hardy German Greens, or Winter Sp	routs	i.
*Striped Garnishing	25	75
Sea Kale (Crambe maritima)	25	75
Spring Sprouts (for greens)		10



t KOHLRABI.

(Turnip-Rooted Cabbage.)

Chou-rave, Fr. Rohl-Rabi, Ger. Col de Nabo, Sp.

Sow from March to June for transplanting in succession.

		Per oz.			roz.	4 ozs.					
Early White	Vienna				٠	•	•	.\$0	30	\$I	00
Early Purple	Vienna								30	1	00-



Green Paris Cos Lettuce.

‡ LETTUCE.

Laitue, Fr. Lattich, Ger. Lechuga, Sp.

Sow for early in hotbeds; open ground April to June, for succession; transplant in very rich ground. Sow hardy kinds in September, and plant in protecting frames for winter use.

Pe	roz. 4	ozs.
*German Early Headso	25 \$0	75
Early Egg, or Forcing	25	75
*Buttercup (fine for forcing)	20	50
*Big Boston fine for forcing)	20	60
*Simpson's Curled Silesia	20	50
Early Cut Salad.		
Black-Seeded Simpson	15	40
*Early Tennisball (fine)	20	50
Early Boston Market.		
*Golden Stone Head (fine)	25	75
Yellow-Seeded Butter.		
Deacon (solid head)	20	50
Early Prize Head	15	40
Black-Seeded Large Butter	20	50
Turkish Cabbage, or Russian.		
Gray-Seeded Butter	25	75
*Perpignan, or Summer	20	50 '
Henderson's New York	20	50
Ice Drumhead (fine)	15	40
Royal Cabbage, or Malta.		
White Summer Cabbage	20	50
Stone Cabbage, or Winter Butter.		
American Gathering	15	40

Per	roz.	4 ozs.
Victoria Cabbageso	15	\$0 40
Red Edged Cabbage.		
*Salamander, or Satisfaction		. 50
*All-the-Year-Round	20	50
Hanson's Cabbage	20	50
Shotwell's Brown Head	20	50
Hardy Green	15	40
Winter, or Hammersmith.		
White Paris, or Ice Cos	20	50
Green Paris Cos (Romaine)	20	50
Trianon Self-Closing Cos	20	50
Balloon Cos	20	50
Asiatic Cabbage, or Imperial	15	30
Saxony Cabbage, Grand Admiral.		
For prices per lb., see page	27.	

LEEKS.

Poireau, Fr. Laud, Ger. Puerro, Sp. Sow from March to May; transplant in rich ground.

*Large American Flag\$0 30 \$0 75 Large Carentan (fine) 20 60

† MARTYNIA.

Gemfenhorn, Ger.

Sow in May in open ground, three feet apart each way.

Craniolaria (for pickles)\$0 30 \$0 75



MUSHROOMS.

Champignon, Fr. Champignonbrut, Ger. Seta, Sp.

English Spawn per 8 lbs., \$1..\$0 15 French, in boxes of 3 lbs., each \$1.25..

Printed pamphlets on Mushroom culture sent with all orders for spawn.

† MUSKMELONS.

Melon, Fr. Melonen, Ger. Melon, Sp. Sow in frames for early; open ground in May and June, in hills 6 feet apart each way.

Pe	er oz.	4 OZS.
*Early White Japan\$0	-	\$0 3J
*Early Christina (orange flesh)	15	30
*Emerald Gem (orange flesh)	15	30
*Large Nutmeg (green flesh)	15	30
Green Citron (netted)	15	30
The Banquet (rich salmon)	15	30
*Early Jenny Lind (green flesh)	15	30
Delmonico (large; orange flesh	15	30



Improved Hackensack.


	Pe	r oz.	4 C	zs.
*Improved Hackensack	\$o	15	\$0	30
Bay View (extra large)				30
Surprise (new)		15		30
Excelsior Nutmeg (green flesh)				30
*Golden Perfection yellow flesh).		15		30
Baltimore Market (orange flesh				30
*Golden Netted Gem		15		30
*Montreal Market (green flesh)		15		30
*Long Island Beauty		15		30
Also, English varieties for culture	•			
in framesper pkt., 20 cts				

† WATERMELONS.

Melon d'Eau, Fr. Wassermelonen, Ger. Sandia, Sp.

Sow in frames for early; open ground May and June, in hills 8 feet apart each way.

		Per o	Z. 4 OZS.
*Early Mountain	Sweet	.\$0 I	0 \$0 25
Kolb's Gem		10	25




Mushrooms.

Icing, or Ice Rind (red flesh) \$0 White-Seeded Ice-Cream, Strawberry	oz.	4 ozs. \$0 25
White-Seeded Ice-Cream, Strawberry	r.	* 5
*Black Spanish (red flesh)	10	25
Phinney's Early (red flesh)	IO	25
*Jordan's Gray Monarch	15	30
Green and Gold	15	30
Ruby Gold	15	30
*Scaly Bark (crimson flesh)	10	25
*Vick's Early (red flesh)	15	30
The Volga (red flesh)	IO	25
Orange (scarlet flesh)	IO	25
Mammoth Ironclad	10	25
*Striped Gipsy (fine late	10	25
Jackson, or Rattlesnake.		
Japan Sculptured (cream flesh)	10	25
Citron (for preserves)	10	25

MUSTARD,

Sinapis, Lin. Moutarde, Fr. Senf, Ger. Sow at intervals, spring and autumn.

	Per	OZ.	4 0	zs*
White, or Yellow	. \$о	05	\$ 0	15
Black, or Brown		5		15
Chinese (for salad)		10		30



Phinney's Early Watermelon.



White Portugal Onion.

† NASTURTIUMS.

Capucine grande, Fr. Kreffen Indianische, Ger-Maranuela, Sp.

Sow in May and June in drills an inch deep.

								oz.		
†Tall (Indian Cress).			•			. \$0	20	\$0	50
Dwarf "								20		50

OKRA.

Gombo, Fr. Efsbarer Hibiscus, Ger. Quimbombo, Sp.

Sow after the middle of May, or early in June, in rich ground, in drills about an inch deep and 3 feet apart; thin out to 8 inches.

		4 ozs.
*Dwarf White Velvet\$0	10	\$0 25
*Early Dwarf Green	10	25
Improved Dwarf Prolific.		
Extra Long Green	10	25

ONIONS.

Oignon, Fr. Swiebeln, Cer. Cebollo, Sp. Sow seed in rich ground early in spring, in drills 1 foot apart, and thin to 2 inches apart.

1	Per	0.7	4 0	75
*Extra Early Flat Red				
Large Red Wethersfield	٠	20		50



Yellow Danvers, or Globe.

*Large Red Clobe	oz.	4	zs.
*Large Red Globe\$0		5 0	50
*Southport White Globe			75
Yellow Dutch, or Strasburg			50
*Yellow Danvers, or Globe			50
*White Portugal	25		75
New England White, Silver Skin.			
Queen (New Early White)	25		75
Prize-Taker (straw-color)			75
White Italian Tripoli			75
Naples Giant Rocca (late)	20		50
About, p	er qt.	. :	Pk.
Potato Onions\$0	25	\$1	50
White Multiplier		I	75
Red Onion Sets	25	1	50
*White Onion Sets	25	I	50
Yellow Onion Sets		I	50
Top, or Button Onions	25	I	50
For prices per pound, see pas	ge 27		



PARSNIPS.

Panais, Fr. Bastinaten, Ger. Pastinaca, Sp. Sow from March to June, in deep, rich ground.

		4 ozs.
*Long White, or Guernsey\$0	10	\$0 25
Cup, Hollow Crowned, or Sugar.		
Sutton's Student	10	25

PARSLEY.

Persil, Fr. Beterfilie, Ger. Perejil, Sp. Sow from March till June, in drills an inch deep and 1 foot apart.

men deep and I foot apart.	
*Curled, or Double \$0 10	4 ozs. \$0 25
*Champion Moss-Curled 15	30 °
*Carter's Fern-leaved 10	25
Hamburg, or Rooted	25

PEAS.


Pois, Fr. Grbien, Ger. Guisante, Sp.

Extra Early Sorts.


Plant for early use as early in spring as practicable, and for succession every two or three weeks until July. Plant in single or double rows 3 to 5 feet apart, according to height, and 4 inches deep.


Those marked thus (*) are the wrinkled varieties.

Ft. Per qt.	8 ats.
Bridgeman's	
Extra Early 21/2 . \$0 25	\$ī 25
Carter's First	
Crop 2½ 25	1 25
Sutton's Ring-leader, First and Best.	
Daniel O'Rourke21/2. 25	1 25
Sangster's No. 1,	



American Wonder	30	1	50
Second Early Peas	•		
Ft. Per	r qt.	8 0	qts.
*Heroine		\$1	75
*McLean's Advancer2½	25	I	25
*Shropshire Hero3	30	I	50
Laxton's Fillbasket 3	30	I	75
*Horsford's Market Garden. 21/2	25	I	25
*Dwarf Champion 2	30	I	50
*Abundance (sow thin) 1½	25	I	25






Alaska Peas.

*McLean's Little Gemi	. \$0	r qt. 30		
McLean's Blue Peter		30	I	50
Tom Thumb (Amer.) 7 in		25		-
Main Crop and Lat	e F	eas	ŝ.	
Ft.	. Pe	r qt.	8 (qts.
*Champion of England5	\$0	25	\$I	25
*Yorkshire Hero3		25	I	25
*Ne Plus Ultra5		25	I	50
*Juno. Large, straight pods.2		30	I	50
*Everbearing (sow thin)2		25	I	25
Pride of the Market2		30	I	75
*Sander's Marrow5		30	I	50
*Carter's Telephone5		30	I	50
Culverwell's Telegraph4		30	I	50
*Carter's Stratagem2		30	I	50
*Queen (finest flavor)2	1/2	30	I	50
Blue Imperial.2	1/2	25	I	25
White Marrow-				
fat3		20	I	00
Black-Eved				

SUGAR PEAS.

Marrow....3 .. 20 Peruvian Marrow.

Ft.	Per qt.	8 qts.
Tall Sugar (edi- ble pods)5	\$ 0 30	\$1 75
Wrinkled Sugar (edible pods).4	40	2 00
Dwarf Sugar	40	2 00
(edible pods). 2	40	2 00
For prices p	er bush	el, see
page 28.		



Clark's No. I Potato.

†PEPPERS.

Piment, Fr. Spanischer Pfeffers, Ger. Pimiento, Sp.

Sow in hotbeds in February and March, in open ground in May and June, transplanting to 18 inches apart each way.


	Per oz.	4 ozs.
Squash, or Tomato	\$0 25	\$ ○ 75
*Large Bell, or Bull Nose	25	75
*Sweet Spanish (for salad)	25	75
*Sweet Mountain (for mangoes)	30	75
*Celestial	30	1 00
Red Cherry	30	I 00
Red Chili, or Red Chester	30	1 00
Long Red Cayenne	30	1 00
Ruby King	. 30	I 00
Golden Dawn (new)	25	75
For prices per lb., see pa	ge 27.	

POTATOES.

Pomme de Terre, Fr. Rartoffeln, Ger. Our Potatoes are all specially "northern-grown," for seed purposes.


Prices subject to variation.

	About, pe	er bus.	Bbl.
Beauty of Hebron	\$1	50 \$	3 50
Early Rose, or Vermont	I	50	3 50



Mammoth Pumpkin.

About	, p	er b	us. I	3b1.
Early Mayflower	\$1	75	\$4	00
Extra Early (Thorburn)	I	75		75
Charles Downing	I	75	4	00
Early Puritan	I	75	3	75
Rural New-Yorker			3	50
Pride of Ireland (heavy yielder)	I	75	4	00
Clark's No. 1			3	50
White Elephant (fine late)	I	50	3	50
Dakota Red	1	50	3	50
White Star			3	50
Late Beauty of Hebron	ī	50	3	50



Ruby King Pepper.

† PUMPKINS.

Potiron, Fr. Kürbisse, Ger. Calabaza, Sp. Sow in May or June, in hills 6 by 8 feet apart.

reet apart.	
Large Chinese, or Pie	
West India Mammoth 25	75
Mammoth, or Large Tours 20	60
Jonathan 10	25
Connecticut Field	bus. \$4 00

RHUBARB.

Rhubarbe, Fr. Mhabarber, Ger. Ruibarbo, Sp.

Sow seed or plant roots in rich ground during April or May.

-	Per oz.	4 ozs.
Myatt's Victoria	. \$0 20	\$0 50
Pie Plant, Wine Plant.		
Poots (large)		Per doz.



Beckert's Long Red Chartier Radish.

RADISHES.

Radis, Rave, Fr. Rettige, Ger. Rabanos and Rabonitas, Sp.

Sow for successional crops at short intervals, from March till September, in drills an inch deep and a foot apart.

Per o	z. 4 ozs.
*Scarlet Globe Turnip (new)\$0 1	
*French Breakfast (fine)	
Red Olive-Shaped, White Tipped,	-5
*Early Scarlet Turnip (fine) 10	0 25
Red Turnip, or Cherry.	-
*Early Round Dark Red 19	0 25
White-Tipped Scarlet Turnip 1	5 30
New Golden Olive-Shaped 1	5 30
Early White Olive-Shaped 10	0 25
*Long Scarlet Short-Top	0 25
Beckert's Chartier Long Red 1	0 25
*Golden Globe (fine)	0 25
Yellow Summer Turnip 1	0 25
Gray Summer Turnip	0 25
*White Summer Turnip 1	0 25
Giant Stuttgart Summer Turnip 1	0 25
*Purple Summer Turnip 10	0 25
*Long Black Spanish 1	0 25
*Round Black Spanish	0 25
White Spanish, or Fall	5 30
*Scarlet Chinese Winter	0 25
Long White Naples 10	0 25
Raphanus (edible pods), pkt., 10 cts.	
For prices per lb., see page 28	

SAGE.

Sauge, Fr. Ealbei, Ger.
Sow during the spring.
Per oz. 4 ozs.
Common (Salvia officinalis)....\$0 25 \$0 75

SALSIFY, or OYSTER PLANT.

SCORZONERA.

SAVORY.

*Summer ... \$0 25 \$0 75 Winter ... 40 1 00

SKIRRET.



Long Scarlet Short-Top.



Savoy-Leaved Spinach


SORREL.

SPINACH.

Epinard, Fr. Spinat, Ger. Espinaca, Sp.

Sow early in the spring, in very rich ground. Also during September and October for winter use, in drills 12 inches apart, and half an inch deep.

*Round-leaved	Per 50	oz. 15	Per \$0	1b. 40
*Long-Standing				40
Broad Flanders				40
*Large Viroflay		15		40
Large Round Thick-Leaved.				
Savoy-leaved		15		40
Bloomsdale, or Norfolk.				
Prickly-leaved				40
New Zealand per oz. 15c.		30	I	00
Holland, or Orach '' 200.	٠.	50	I	00
French, or Mountain Spinach.				




Sibley, or Pike's Peak Squash.

†SQUASHES.

Courge, Fr. Kürbiš, Ger. Calabozo, Tontanera, Sp.

Sow in hills from the middle of April till the last of June. Bush kinds about 4 feet apart, other kinds 8 feet apart.

	Per	OZ.	4 ozs.
*Early White Bush	.\$0	IO	\$0 25
Scallop, or Patty-Pan.			
Egg-Plant Bush		10	25
*Early Striped Bush		10	25
Green-Striped Bergen.			
Early Golden Bush		10	25
*Summer Crookneck Bush		10	25
Early Orange Marrow		10	25
Boston Marrow		15	30
*Hubbard, or Winter		15	30
*Sibley, or Pike's Peak		10	25




	~		-
Esse	x H	whrid	Sauach

Essex Hybrid Squash.	
Per o	z. 4 ozs.
Marblehead Marrow\$0 10	\$0 25
*Essex Hybrid	25
*Winter Crookneck 15	30
Canada Crookneck.	
Turban, or Turk's Cap 10	25
Fordhook (Long-keeper)	25
*Perfect Gem (Late-running) 10	25
Lima Cocoanut	25
Valparaiso, or Acorn.	
Butman (Winter)	25
English Vegetable Marrow 20	50
Mammoth Chili (extra size) 20	50
Patagonia 20 Seven Years' Custard, or Butter.	50
Brazil Sugar	25
For prices per lb., see page 28	

SWEET BASIL.

Basilic, Fr. Bajilicum, Ger.
Per oz. 4 ozs.
eet. \$0 40 \$1 00



Livingston's Perfection Tomato.

SWEET MARJORAM.

Marjolaine, Fr. Marjoran, Ger. Sow during the spring.

						Per	oz.	4 0	ozs.
Sweet	 	 	 			\$0	30	\$1	00

TOBACCO SEED.

(Nicotiana tabacum.)

Per	oz.	4 C	zs.
Connecticut Seed-Leaf\$0	30	\$1	00
Imported Havana	50	I	50

THYME.

Thym, Fr. Thimian, Ger. Sow during the spring.

	Per	oz.	4.0	ozs.
*English	. \$о	50	\$ I	50
French (Small-leaved).		40	1	25

† TOMATO, or LOVE-APPLE,

Tomate, Fr. Liebesapfel, Ger. Tomate, Sp.

Sow in hotbeds for early; open ground April and May; transplant in rows 3 or 4 feet apart.

i towo 3 of 4 foot apart.			
Per	oz.	4 0	zs.
*Ponderosa \$0	50	\$1	25
*Livingston's Perfection :	25		75
*Ignotum	25		75
The Lorillard	-		75
Extra Early Conqueror	-		75
*Mikado (early, large, red). : Turner's Hybrid.	25		75
*The Trophy (selected)	25		75
*Dwarf Champion	25		75
*Acme (smooth, dark red) :	25		75


Per o	z. 4 ozs.
Livingston's Beauty \$0 2	5 \$0 75
*Livingston's Favorite 2	5 75
*Early Ruby (dwarf, compact) 2	5 75
Large Red Cherry, or Gem 2	5 75
Large Golden Yellow 3	0 75
Red Pear-Shaped, or Fig 2	5 75
Yellow Plum 3	o 75
*Cardinal (brilliant red) 2	5 75
Table Queen (rich crimson) 2	5 75
*Carter's Green Gage (fine) 2	5 75
Strawberry, or Winter 3	0 75
DeLaye, or Treepkt. 10 cts	
For prices per lb., see page 28	

TURNIPS.

Navet, Fr. Müßen, Ger. Nabo commun, Sp. All varieties, 10 cents per ounce.

Sow for early, very early in spring, on freshly broken up ground. Upon old ground early Turnips are liable to be hot, strong and wormy. For main crop, sow in July and August. Sow Ruta Baga in July, in drills 15 inches apart; thin out to 6 inches. For best results, cultivate carefully all through the season.

		4 OZ.		
*Extra Early Milan	\$0	25	\$ 0	75
Early Flat Dutch		20		50
White Strap, Learned				



Mikado Tomato.

MED WING	
TURNIPS, continued. Per 4 ozs. Lb.	GRASS SEEDS.
Per 4 ozs. Lb. Early White Stone\$0 20 \$0 60 Early Snowball, or Six-Weeks.	illiothy. 45 ibs. to bus
Early Purple-Top Munich 20 50	Phleum pratense. Creeping Bent Grass. 20 lbs. to bus\$3 50
Early Yellow Teltow 25 75	Agrostis stolonifera.
Small Berlin, or Marrow,	Red Top. 14 lbs. to bus 1 50 Agrostis vulgaris.
*Red-Top Strap-Leaved 20 50	Rhode Island Bent Grass. 14 lbs. to bus. 3 00
Red-Top White Globe	Agrostis canina,
*White Egg-Shaped (fine late) 20 50 *Yellow Stone, or Globe 20 50	Sweet Vernal Grassper lb., 75 cts
Yellow Aberdeen 20 50	Meadow Fescue. 22 lbs. to bus 3 50
Scotch Yellow. *Robinson's Golden Ball 20 50	Festuca pratensis. Meadow Fox-Tail Grass. 7 lbs. to bus 2 75
Orange Jelly.	Alopecurus pratensis.
White French, or Rock 20 50 Russian. Hanover. Sweet German.	Tall Meadow Oat Grass. 13 lbs. to bus. 2 50 Avena elation.
*Purple-Top Ruta-Baga	Orchard Grass. Choice; 14 lbs. to bus. 2 75 Dactylis glomerata.
White Ruta-Baga 20 50	Sheep's Fescue Grass. 12 lbs. to hus 2 50 Festuca ovina.
White Swede. or Russia. Long White, Cow Horn 20 50	Hungarian Grass. 48 lbs. to bus. about 1 75 Panicum Germanicum.
	Meadow Soft Grass. 7 lbs. to bus I 25 Holcus lanatus.
SWEET, POT AND MEDI- CINAL HERBS.	Italian Rye Grass. 12 lbs. to bus 2 00 Lolium Italicum.
Per packet, 5 to 10 cents.	English Rye Grass. 24 lbs. to bus 2 00
Sow under glass early in spring; about	Wood Meadow Grass. 14 lbs. to bus 5 oo
the end of May transplant to open ground.	Poa nemoralis, Kentucky Blue. Best ex. cleaned; 14 lbs. 2 50
Anise (Pimpinella Anisum)\$0 15	Central Park Lawn Grass, 15 lbs. to bus. 3 50
Basil, Sweet (Ocymum basilicum) 40	Extra Finest Mixed Lawn Grass. 15 lbs. 4 50
Borage (Borago officinalis) (for bees) 20	
	Permanent Pasture Grass 2 50
Balm (Melissa officinalis) 40	Permanent Pasture Grass 2 50
Balm Melissa officinalis) 40 Bene (for dysentery) per lb., \$1.25 20	CLOVERS.
Balm Melissa officinalis) 40 Bene (for dysentery) per lb., \$1.25 20 Coriander (Coriandrum sativum)	CLOVERS. Per lb.
Balm Melissa officinalis) 40 Bene (for dysentery) per lb., \$1.25 20 Coriander (Coriandrum sativum) 15 Castor Oil Plant (Ricinus) per lb., 50c 10	CLOVERS. Per 1b. Red Clover. Price variable\$0 20
Balm Melissa officinalis) 40 Bene (for dysentery) per lb., \$1.25 20 Coriander (Coriandrum sativum) 15 Castor Oil Plant (Ricinus) per lb., 50c 10 Caraway (Carum carui)	CLOVERS. Red Clover. Price variable
Balm Melissa officinalis) 40 Bene (for dysentery) per lb., \$1.25 20 Coriander (Coriandrum sativum) 15 Castor Oil Plant (Ricinus) per lb., 50c 10 Caraway (Carum carui) 15 Catnip (Nepeta cataria) 40	CLOVERS. Red Clover. Price variable
Balm Melissa officinalis) 40 Bene (for dysentery) per lb., \$1.25 20 Coriander (Coriandrum sativum) 15 Castor Oil Plant (Ricinus) per lb., 50c 10 Caraway (Carum carui) 15 Catnip (Nepeta cataria) 40 Dandelion (Leontodon taraxacum) 40	CLOVERS. Red Clover. Price variable
Balm Melissa officinalis)	CLOVERS. Red Clover. Price variable
Balm Melissa officinalis)	CLOVERS. Red Clover. Price variable
Balm Melissa officinalis)	CLOVERS. Red Clover. Price variable
Balm Melissa officinalis) 40 Bene (for dysentery) per lb., \$1.25 20 Coriander (Coriandrum sativum) 15 Castor Oil Plant (Ricinus) per lb., 50c. 10 Caraway (Carum carui) 15 Catnip (Nepeta cataria) 40 Dandelion (Leontodon taraxacum) 40 Dill (Anethum graveolens) per lb., \$1.15 Eucalyptus, or Fever Plant 35 Fennel, Sweet (Anethum) 15 Hop Seed (Humulus) 50 Horehound (Marrubium) 30	CLOVERS. Red Clover. Price variable
Balm Melissa officinalis) 40 Bene (for dysentery) per lb., \$1.25 20 Coriander (Coriandrum sativum) 15 Castor Oil Plant (Ricinus) per lb., 50c. 10 Caraway (Carum carui) 15 Catnip (Nepeta cataria) 40 Dandelion (Leontodon taraxacum) 40 Dill (Anethum graveolens) per lb., \$1.15 Eucalyptus, or Fever Plant 35 Fennel, Sweet (Anethum) 15 Hop Seed (Humulus) 50 Horehound (Marrubium) 30 Hyssop (Hyssopus officinalis) 30	CLOVERS. Red Clover. Price variable \$0 20 White Clover. '' 30 Crimson Clover. 15 lbs. per acre 10 Trifolium incarnatum. Yellow Clover, or Trefoil 20 Lucerne, or Alfalfa Clover 25 Alsike Clover, or Swedish 25 Bokhara Clover 30 BIRD SEED, ETC.
Balm Melissa officinalis 40 Bene (for dysentery per lb., \$1.25 20 Coriander (Coriandrum sativum 15 Castor Oil Plant (Ricinus) per lb., 50c. 10 Caraway (Carum carui 15 Catnip (Nepeta cataria 40 Dandelion (Leontodon taraxacum 40 Dill (Anethum graveolens per lb., \$1 15 Eucalyptus, or Fever Plant 35 Fennel, Sweet (Anethum 15 Hop Seed (Humulus 50 Horehound (Marrubium 30 Hyssop (Hyssopus officinalis 30 Lavender (Lavendula spica 30	CLOVERS. Red Clover. Price variable \$0 20 White Clover. " 30 Crimson Clover. 15 lbs. per acre. 10 Trifolium incarnatum. Yellow Clover, or Trefoil 20 Lucerne, or Alfalfa Clover 25 Alsike Clover, or Swedish 25 Bokhara Clover 30 BIRD SEED, ETC. Canary (best Sicily) Per qt. Bus. 50 20 \$4 00
Balm Melissa officinalis) 40 Bene (for dysentery) per lb., \$1.25 20 Coriander (Coriandrum sativum) 15 Castor Oil Plant (Ricinus) per lb., 50c. 10 Caraway (Carum carui) 15 Catnip (Nepeta cataria) 40 Dandelion (Leontodon taraxacum) 40 Dill (Anethum graveolens) per lb., \$1 15 Eucalyptus, or Fever Plant 35 Fennel, Sweet (Anethum) 15 Hop Seed (Humulus) 50 Horehound (Marrubium) 30 Hyssop (Hyssopus officinalis) 30 Lavender (Lavendula spica) 30 Marjoram, Sweet (Origanum) 30	CLOVERS. Red Clover. Price variable \$0 20 White Clover. " 30 Crimson Clover. 15 lbs. per acre. 10 Trifolium incarnatum. 20 Lucerne, or Alfalfa Clover 25 Alsike Clover, or Swedish 25 Bokhara Clover 30 BIRD SEED, ETC. Per qt. Bus. Canary (best Sicily) \$0 20 \$4 00 Mixed Bird Seed 20 4 00 Hemp Seed 10 2 00
Balm Melissa officinalis) 40 Bene (for dysentery) per lb., \$1.25 20 Coriander (Coriandrum sativum) 15 Castor Oil Plant (Ricinus) per lb., 50c. 10 Caraway (Carum carui) 15 Catnip (Nepeta cataria) 40 Dandelion (Leontodon taraxacum) 40 Dill (Anethum graveolens) per lb., \$1 15 Eucalyptus, or Fever Plant 35 Fennel, Sweet (Anethum) 15 Hop Seed (Humulus) 50 Horehound (Marrubium) 30 Hyssop (Hyssopus officinalis) 30 Lavender (Lavendula spica) 30 Marjoram, Sweet (Origanum) 30 Rue (Ruta graveolens) 20	CLOVERS. Red Clover. Price variable \$0 20 White Clover. " 30 Crimson Clover. 15 lbs. per acre. 10 Trifoljum incarnatum. Yellow Clover, or Trefoil 20 Lucerne, or Alfalfa Clover 25 Alsike Clover, or Swedish 25 Bokhara Clover 30 BIRD SEED, ETC. Canary (best Sicily) \$0 20 \$4 00 Mixed Bird Seed 20 4 00 Hemp Seed 10 2 00 White Millet 30 4 00
Balm Melissa officinalis) 40 Bene (for dysentery) per lb., \$1.25 20 Coriander (Coriandrum sativum) 15 Castor Oil Plant (Ricinus) per lb., 50c. 10 Caraway (Carum carui) 15 Catnip (Nepeta cataria) 40 Dandelion (Leontodon taraxacum) 40 Dill (Anethum graveolens) per lb., \$1 15 Eucalyptus, or Fever Plant 35 Fennel, Sweet (Anethum) 15 Hop Seed (Humulus) 50 Horehound (Marrubium) 30 Hyssop (Hyssopus officinalis) 30 Lavender (Lavendula spica) 30 Marjoram, Sweet (Origanum) 30 Rue (Ruta graveolens) 20 Rosemary (Rosemarinus officinalis) 50	CLOVERS. Red Clover. Price variable \$0 20 White Clover. " 30 Crimson Clover. 15 lbs. per acre. 10 Trifolium incarnatum. Yellow Clover, or Trefoil 20 Lucerne, or Alfalfa Clover 25 Alsike Clover, or Swedish 25 Bokhara Clover 30 BIRD SEED, ETC. Canary (best Sicily) \$0 20 \$4 00 Mixed Bird Seed 20 4 00 Hemp Seed 10 2 00 White Millet 30 4 00 Yellow Millet 15 3 00
Balm Melissa officinalis) 40 Bene (for dysentery) per lb., \$1.25 20 Coriander (Coriandrum sativum) 15 Castor Oil Plant (Ricinus) per lb., 50c. 10 Caraway (Carum carui) 15 Catnip (Nepeta cataria) 40 Dandelion (Leontodon taraxacum) 40 Dill (Anethum graveolens) per lb., \$1.15 Eucalyptus, or Fever Plant 35 Fennel, Sweet (Anethum) 15 Hop Seed (Humulus) 50 Horehound (Marrubium) 30 Hyssop (Hyssopus officinalis) 30 Lavender (Lavendula spica) 30 Marjoram, Sweet (Origanum) 30 Rue (Ruta graveolens) 20 Rosemary (Rosemarinus officinalis) 50 Saffron (Carthamus) 15	CLOVERS. Red Clover. Price variable \$0 20 White Clover. " 30 Crimson Clover. 15 lbs. per acre. 10 Trifolium incarnatum. Yellow Clover, or Trefoil 20 Lucerne, or Alfalfa Clover 25 Alsike Clover, or Swedish 25 Bokhara Clover 30 BIRD SEED, ETC. Canary (best Sicily) \$0 20 \$4 00 Mixed Bird Seed 20 4 00 Hemp Seed 10 2 00 White Millet 30 4 00 Yellow Millet 15 3 00 English Rape (large-seeded) 20 4 00 German Rape (small-seeded) 20 4 00
Balm Melissa officinalis) 40 Bene (for dysentery) per lb., \$1.25 20 Coriander (Coriandrum sativum) 15 Castor Oil Plant (Ricinus) per lb., 50c. 10 Caraway (Carum carui) 15 Catnip (Nepeta cataria) 40 Dandelion (Leontodon taraxacum) 40 Dill (Anethum graveolens) per lb., \$1 15 Eucalyptus, or Fever Plant 35 Fennel, Sweet (Anethum) 15 Hop Seed (Humulus) 50 Horehound (Marrubium) 30 Hyssop (Hyssopus officinalis) 30 Lavender (Lavendula spica) 30 Marjoram, Sweet (Origanum) 30 Rue (Ruta graveolens) 20 Rosemary (Rosemarinus officinalis) 50 Saffron (Carthamus) 15 Sage, Common (Salvia officinalis) 25	CLOVERS. Red Clover. Price variable \$0 20 White Clover. " 30 Crimson Clover. 15 lbs. per acre. 10 Trifolium incarnatum. Yellow Clover, or Trefoil 20 Lucerne, or Alfalfa Clover 25 Alsike Clover, or Swedish 25 Bokhara Clover 30 BIRD SEED, ETC. Canary (best Sicily) \$0 20 \$4 00 Mixed Bird Seed 20 4 00 Hemp Seed 10 2 00 White Millet 30 4 00 Yellow Millet 15 3 00 English Rape (large-seeded) 20 4 00 German Rape (small-seeded) 20 4 00 Bird Gravel (for cages) 10 2 00
Balm Melissa officinalis) 40 Bene (for dysentery) per lb., \$1.25 20 Coriander (Coriandrum sativum) 15 Castor Oil Plant (Ricinus) per lb., 50c. 10 Caraway (Carum carui) 15 Catnip (Nepeta cataria) 40 Dandelion (Leontodon taraxacum) 40 Dill (Anethum graveolens) per lb., \$1 15 Eucalyptus, or Fever Plant 35 Fennel, Sweet (Anethum) 15 Hop Seed (Humulus) 50 Horehound (Marrubium) 30 Hyssop (Hyssopus officinalis) 30 Lavender (Lavendula spica) 30 Marjoram, Sweet (Origanum) 30 Rue (Ruta graveolens) 20 Rosemary (Rosemarinus officinalis) 50 Saffron (Carthamus) 15 Sage, Common (Salvia officinalis) 25 Savory, Summer (Satureja hortensis) 25	CLOVERS. Red Clover. Price variable \$0 20 White Clover. " 30 Crimson Clover. 15 lbs. per acre 10 Trifolium incarnatum. Yellow Clover, or Trefoil 20 Lucerne, or Alfalfa Clover 25 Alsike Clover, or Swedish 25 Bokhara Clover 30 BIRD SEED, ETC. Canary (best Sicily) \$0 20 \$4 00 Mixed Bird Seed 20 4 00 Hemp Seed 10 2 00 White Millet 30 4 00 Yellow Millet 15 3 00 English Rape (large-seeded) 20 4 00 German Rape (small-seeded) 20 4 00 Bird Gravel (for cages) 10 2 00 Rough Rice 15 3 50
Balm Melissa officinalis) 40 Bene (for dysentery) per lb., \$1.25 20 Coriander (Coriandrum sativum) 15 Castor Oil Plant (Ricinus) per lb., 50c. 10 Caraway (Carum carui) 15 Catnip (Nepeta cataria) 40 Dandelion (Leontodon taraxacum) 40 Dill (Anethum graveolens) per lb., \$1.15 Eucalyptus, or Fever Plant 35 Fennel, Sweet (Anethum) 15 Hop Seed (Humulus) 50 Horehound (Marrubium) 30 Hyssop (Hyssopus officinalis) 30 Lavender (Lavendula spica) 30 Marjoram, Sweet (Origanum) 30 Rue (Ruta graveolens) 20 Rosemary (Rosemarinus officinalis) 50 Saffron (Carthamus) 15 Sage, Common (Salvia officinalis) 25 Savory, Summer (Satureja hortensis) 25 Savory, Winter (Satureja montana) 40	CLOVERS. Red Clover. Price variable \$0 20 White Clover. " 30 Crimson Clover. 15 lbs. per acre. 10 Trifolium incarnatum. Yellow Clover, or Trefoil 20 Lucerne, or Alfalfa Clover 25 Alsike Clover, or Swedish 25 Bokhara Clover 30 BIRD SEED, ETC. Canary (best Sicily) \$0 20 \$4 00 Mixed Bird Seed 20 4 00 Hemp Seed 10 2 00 White Millet 30 4 00 Yellow Millet 15 3 00 English Rape (large-seeded) 20 4 00 Bird Gravel (for cages) 10 2 00 Rough Rice 15 3 50 Maw, or Poppy per lb., 30 cts. Bird Lettuce 50
Balm Melissa officinalis) 40 Bene (for dysentery) per lb., \$1.25 20 Coriander (Coriandrum sativum) 15 Castor Oil Plant (Ricinus) per lb., 50c. 10 Caraway (Carum carui) 15 Catnip (Nepeta cataria) 40 Dandelion (Leontodon taraxacum) 40 Dill (Anethum graveolens) per lb., \$1.15 Eucalyptus, or Fever Plant 35 Fennel, Sweet (Anethum) 15 Hop Seed (Humulus) 50 Horehound (Marrubium) 30 Hyssop (Hyssopus officinalis) 30 Lavender (Lavendula spica) 30 Marjoram, Sweet (Origanum) 30 Rue (Ruta graveolens) 20 Rosemary (Rosemarinus officinalis) 50 Saffron (Carthamus) 15 Sage, Common (Salvia officinalis) 25 Savory, Summer (Satureja hortensis) 25 Savory, Winter (Satureja montana) 40 Tansy (Tanacetum vulgaris) 50	CLOVERS. Red Clover. Price variable \$0 20 White Clover. " 30 Crimson Clover. 15 lbs. per acre. 10 Trifolium incarnatum. Yellow Clover, or Trefoil 20 Lucerne, or Alfalfa Clover 25 Alsike Clover, or Swedish 25 Bokhara Clover 30 BIRD SEED, ETC. Per qt. Bus. Canary (best Sicily) \$0 20 Mixed Bird Seed 20 4 00 Hemp Seed 10 2 00 White Millet 30 4 00 Yellow Millet 15 3 00 English Rape (large-seeded) 20 4 00 German Rape (small-seeded) 20 4 00 Bird Gravel (for cages) 10 2 00 Rough Rice 15 3 50 Maw, or Poppy per lb., 30 cts. Bird Lettuce 50 " Imperial Egg Food 50 "
Balm Melissa officinalis	Red Clover. Price variable So 20
Balm Melissa officinalis	Red Clover. Price variable So 20

VARIOUS SEEDS.

D . D 1
Per qt. Per bus.
Flax Seed\$0 25 \$3 50
Sunflower 10 2 25
Broom Corn
Vetches (for pigeons, etc.) 20 2 75
Per lb.
Chinese Sugar Cane\$0 25
Rural Branching Sorghum 25
Yellow Locust (Robinia) 50
Honey Locust 50
Osage Orange (Maclura) 50
Wheat, Rye, Oats, Barley and Buckwheat;
also Tree, Shrub, and Fruit Seeds, Supplied
to Order.

INSECTICIDES.

Bordeaux	Mixture.	For	blac	k-rot,	downy
mildew	and anthra	cnose	of g	rapes,	potato
blight,	potato rot,	and o	other	fungo	us dis-
eases,	20-pound	packa	age	(50	gallons
wash),	₿I.				

Kerosene Emulsion. For plant-lice of any kind, cabbage worms, scale insects on apple, pear, orange and other trees, 5-gallon bucket (makes 75 gallons wash), \$2; qt. jar, 50 cts.

HAMMOND'S GRAPE-DUST, for the prevention and destruction of mildew on plants. 5-lb. package, 35 cts.

Ant Destroyer. A non-poisonous powder, which will destroy or drive away black ants from lawns, trees, plants, houses, or other affected localities. Per can, 50 cts.

Slug-Shot......5 lbs., 30 cts.; 10 lbs., \$0 50 Fir-Tree Oil..pt., 75 cts.; qt., \$1.25; gal., 4 00 Fir-Tree Oil Soap......½-lb. can, 25c.;

2-lb. can,	75
Persian Insect Powderper lb.,	75
Flowers of Sulphur	10
Pure Paris Green "	30
White Hellebore	30
Whale-Oil Soap "	12
Gishurst's Compoundper box,	50

Tobacco	Stemsper 100 lbs., \$2	00
Tobacco	Dustper lb.,	10
Tobacco	Insecticide Soap	50

MISCELLANEOUS.

Grafting Waxper lb., \$0	40
Raffia (for tying)	25
Cuba Bast (for tying)	25
Mats, straw (6 ft. by 6 ft.)each, I	50
Round Scythe Stones	15
Indelible Garden Pencils	10
Pea Trellisper 10-feet lengths,	75
mi.	50
The same of the sa	50
The same of the sa	50
Dollars (C.)	00
Electic Direct Control	00
Elastic Putty Bulbs (for glazing	- •
	00
Company (C.)	25

STANDARD FLOWER POTS.

			Per 100 Per		
	21/4	inch	Thumb\$0 80 \$	6	50
	3	16	Gill 1 25	9	00
	4	"	Half-pint 1 75 I	5	00
	5	4.1	Pint 2 50 2	5	00
	6	1.1	Quart 4 00 4	0	00
	7	4.4	Three-pint 6 50 6	0	00
	8	1.1	Half-gallon, 9 co		
	9	6.6	Gallon14 50		
1	0	4 4	Two-gallon20 00		

ROUND SEED, or LILY PANS.



FERTILIZERS.

			Per ton
Superphosphat	te of Lime.		\$40 00
Ground Bone			38 00
Bone Meal			· · · 44 0 0
Potato Fertiliza	er		43 00
Sheep Manure	(pulverize	d)	35 00
46 46	(per 100 l	obag) \$2	2.75

FRUIT SEEDS.

		lb.
Apple Seed	ξO	30
Cherry Pits, Mahaleb		30
Pear Seed	I	50
Quince Seed	I	50

Pe	r oz.
Currant Seed, Mixed\$6	40
Gooseberry Seed, Mixed	75
Raspberry Seed, Mixed	50
Strawberry Seed, Mixed	50

VEGETABLE SEEDS, ETC.

By Pound, Bushel or Barrel.

Orders for less than Half-Bushels and Half-	Pounds are liable to somewhat higher rates.
BUSH BEANS. Per bus.	CABBAGE.
Burpee's Bush Lima \$6 oo Dreer's Bush Lima 6 oo Extra Early Valentine 4 50 Long Yellow Six-Weeks 4 50 Early Mohawk 4 50 Early China Dwarf 4 50 Golden Refugee 4 50 Refugee, or 1,000-to-1 4 00 Canadian Wonder 5 00 Wonder of France 5 00 White Kidney, or Royal 4 00 Red Kidney, or French 4 00 White Marrowfat 4 00 Dwarf Horticultural 4 50 Valentine Wax 5 00 Flageolet Wax 5 00	Early York, or May \$1 50 Large Early Oxheart 1 50 Early Flat Dutch, or Summer 2 50 Early Jersey Wakefield 3 00 All-Seasons 2 50 Henderson's Succession 3 00 Autumn King 3 00 Early Winnigstadt 1 50 Early Dutch, or Drumhead 1 50 Large Late Drumhead 2 50 Premium Late Flat Dutch 2 50 Dwarf Early Ulm Savoy 2 00 Large Late Drumhead Savoy 2 00 Red Dutch, or Pickling 2 50
Yosemite Mammoth Wax 6 00	CARROTS. Per 1b.
Black Wax 4 co Crystal White Wax 6 oo Golden, or Cream Wax 4 oo Golden Wax Improved 4 oo Wardwell's Kidney Wax 4 oo POLE, or RUNNING BEANS. Per bus. Extra Early Lima \$6 oo Dreer's Improved Lima 6 oo	Extra Early Forcing \$1 00 Scarlet Carentan (coreless) 75 Oxheart, or Guerande 75 Early Orange Horn (pointed) 75 Half-Long Red Orange (stump-rooted) 75 Danvers Orange (true) 75 Improved Long Orange 75
Large White Lima (extra size) 6 oo	CELERY. Per 1b.
King of the Garden Lima 6 oo Early Golden Cluster Wax 7 oo Horticultural, or Wren's Egg 5 oo Small White Lima 6 50 White Dutch Case-Knife 6 oo Mont d'Or, or Golden Butter 6 oo Giant Red Wax 7 oo Indian Chief (with yellow pods) 6 oo White Dutch Runner 6 oo Scarlet Flowering Runner 5 oo	Early Dwarf White \$2 50 Early White Plume 3 00 Boston Market Dwarf White 2 50 Perfection Heartwell 2 50 Giant Pascal 2 00 Large White, or Giant 1 50 Golden Heart Half-Dwarf 2 50 Sandringham Dwarf White 2 00 Golden Self-Blanching 4 50 Early Dwarf Red 2 50 Turnip-Rooted Celery (Erfurt) 2 00
BEETS. Per 1b.	and particular control (2012ats)
Extra Early Turnip \$0 75 Eclipse Crimson Turnip 60 Early Blood Turnip 60 Egyptian Blood Turnip 60 Dewing's Blood Turnip 60	CHERVIL. Per lb. Curled, or Double
Edmand's Early Blood Turnip 60 Long Dark Red 75 Half-Long Dark, or Pear-Shaped 75 Yellow Turnip, or Orange 60 Silver Swiss Chard 75 Victoria Blood-Red Swiss Chard 75 CAULIFLOWER Per lb. Extra Early Paris \$9 Half-Early Paris Nonpareil 8 Large Late Algiers 9 Lenormand's Short-Stemmed 8 60 60 Early London, or Dutch 4	Per bus. Per bus. Starta Early Minnesota \$3 50

CORN SALAD, or FETTICUS.	MUSKMELONS.
Round-Leaved Small-Seeded \$0 75 Round-Leaved Large-Seeded	Early White Japan\$0 75 Early Orange Christina (orange flesh) 75 Large Nutmeg (green flesh) 75
CRESS, or PEPPER GRASS.	Delmonico (large : orange flesh)
Extra Curled	Improved Hackensack
CUCUMBERS. Per lb.	Montreal Market
Extra Early Russian	WATERMELONS. Per lb.
Early Green Cluster 75 Early Short Green 75 Improved Long Green 75 Green Prolific (pickling) 75 Long White-Spined 75 Everbearing 75 Tailby's Hybrid 75	Early Mountain Sweet \$0 75 Iceing, or Ice Rind (white-seeded) 75 Phinney's Early 75 Striped Gipsy, or Jackson 75 Black Spanish 75 Jordan's Gray Monarch 75
Nichol's Medium Green 75	Scaly Bark
EGG-PLANTS. Per lb.	MUSTARD.
Early Long Purple \$2 50 Improved New York Purple 4 50 Early Black Pekin 4 00	White, or Yellow. \$0 40 Black, or Brown 40
ENDIVE.	NASTURTIUMS. Per lb.
Per Ib. Per Ib. St 50 White Curled Summer	Tall (Indian Cress)
Broad-Leaved 1 50	OKRA°.
Wild, for flavoring coffee 1 00	Early Dwarf Green
Green Curled Scotch	Dwall white vervet
Brown, or Purple Curled 1 00 Hardy Curled Siberian (Winter Sprouts) 60	ONIONS.
Spring Sprouts (English) 25	Prices may vary as the season advances. Per lb.
KOHLRABI.	Extra Early Flat Red. \$1 50 Large Red Wethersfield. 1 50
Early White Vienna	White Portugal 3 oo
LEEKS.	Southport White Globe. 3 00 Prize-Taker (straw-color) 2 50
Per lb. Large American Flag, or Scotch\$2 50	Yellow Dutch, or Strasburg
Large Carentan 2 00	PARSLEY.
LETTUCE. Per lb.	Curled, or Double (extra)
Buttercup (fine for forcing) \$1 25 Big Boston (fine for forcing) 1 50 German Early Head 1 50 Golden Stope Head (fine)	Champion Moss Curled 75 Carter's Fern-Leaved 75 Hamburg, or Rooted 75
Golden Stone Head (fine) 1 50 Early Egg, or Forcing 1 50 Simpson's Curled Silesia 1 25 Laborate Molte 25	Per lb.
Ice Drumhead, or Malta 1 00 Early Tennisball, or Boston Market 1 25 Black-Seeded Large Butter 1 25	Long White, or Guernsey\$0 60 Sutton's Student 60
Perpignan Head, or Summer	PEPPERS. Per lb.
White Summer Cabbage	Large Squash, or Tomato \$2 50 Large Bell, or Bull Nose 2 50 Sweet Spanish (for salad) 2 50
White Paris, or Ice Cos I 50 Green Paris Cos (Romaine) I 50	Sweet Mountain (for mangoes) 2 50 Long Red Cayenne


PEAS.	RADISHES, continued. Per	1b.
Per bus. Bridgeman's Extra Early\$4 50	Early Round Dark Red\$0	75
	White-Tipped Scarlet	75
Carter's First Crop	Golden Olive-Shaped	75
Extra Early Daniel O'Rourke 4 50	Early White Olive-Shaped	75
Philadelphia Extra Early 4 00	Early Scarlet Olive-Shaped	60
Bliss' Everbearing 4 00	Long Scarlet Short-Top	75
Alaska 4 50	Beckert's Chartier Long Red	75
Carter's Premium Gem 5 00	Golden Globe (fine)	60
Laxton's Fillbasket 6 00		60
Horsford's Market Garden 4 50		60
Dwarf Champion 4 50	White Summer Turnip	75
Abundance (sow thin) 4 50	Giant Stuttgart Summer Turnip	60
Pride of the Market 6 oo	Purple Summer Turnip	60
Yorkskire Hero 4 00	Long Black Spanish	
Kentish Invicta 4 50	Round Black Spanish	75
McLean's Advancer 4 50	White Spanish, or Fall	75 60
Laxton's Alpha 5 00		
McLean's Little Gem 5 00		75
American Wonder 6 oo	California Mammoth	75
Carter's Telephone 5 50	SALSIFY, or OYSTER PLANT.	
Culverwell's Telegraph 5 50	Per	
Carter's Stratagem 5 50	Long White\$1	
Heroine 6 oo	Mammoth Sandwich Island r	50
McLean's Blue Peter 5 00	Long Black (Scorzonera) 1	50
Tom Thumb (American) 5 oo	-525 Enter (5651261614) ******* 1	Ju
Dwarf Blue Imperial 4 50	eou i eure	
Champion of England 4 00	SQUASHES.	
	Farly White Bush	lb.
Black-eyed Marrowfat 3 oo	Early White Bush\$0	75
	Early White Bush	75 75
Black-eyed Marrowfat	Early White Bush\$0 Early Striped Bush Early Golden Bush	75 75 75
Black-eyed Marrowfat	Early White Bush	75 75 75 75
Black-eyed Marrowfat	Early White Bush	75 75 75 75 75
Black-eyed Marrowfat 3 00 White Marrowfat 3 00 PUMPKINS. Large Cheese, or Pie \$0 60 Mammoth, or Large Tours 1 00	Early White Bush	75 75 75 75 75 75
Black-eyed Marrowfat	Early White Bush	75 75 75 75 75 75 75
Black-eyed Marrowfat	Early White Bush	75 75 75 75 75 75 75 75
Black-eyed Marrowfat 3 00 White Marrowfat 3 00 PUMPKINS. Large Cheese, or Pie \$0 60 Mammoth, or Large Tours 1 00	Early White Bush	75 75 75 75 75 75 75 75
Black-eyed Marrowfat	Early White Bush	75 75 75 75 75 75 75 75 75
Black-eyed Marrowfat	Early White Bush	75 75 75 75 75 75 75 75 75 75
Black-eyed Marrowfat	Early White Bush	75 75 75 75 75 75 75 75 75
Black-eyed Marrowfat	Early White Bush	75 75 75 75 75 75 75 75 75 75
Black-eyed Marrowfat	Early White Bush	75 75 75 75 75 75 75 75 75 75
Black-eyed Marrowfat	Early White Bush	75 75 75 75 75 75 75 75 75 75 75 75
Black-eyed Marrowfat	Early White Bush	75 75 75 75 75 75 75 75 75 75 75 75 75
Black-eyed Marrowfat	Early White Bush	75 75 75 75 75 75 75 75 75 75 75 75 75 7
Black-eyed Marrowfat.	Early White Bush	75 75 75 75 75 75 75 75 75 75 75 75 75 7
Black-eyed Marrowfat	Early White Bush. \$0 Early Striped Bush. Early Golden Bush. Summer Crookneck. Boston Marrow. Hubbard, or Winter. Essex Hybrid, or Winter. Marblehead Marrow. Perfect Gem. Winter Crookneck. Mammoth Chili (extra size). I English Vegetable Marrow. TOMATOES. Per Livingston's Perfection \$2 Ignotum. 2 Acme (smooth, dark red) 2 Ponderosa. 4	75 75 75 75 75 75 75 75 75 75 75 75 75 7
Black-eyed Marrowfat	Early White Bush. \$0 Early Striped Bush . Early Golden Bush . Summer Crookneck . Boston Marrow Hubbard, or Winter . Essex Hybrid, or Winter . Marblehead Marrow . Perfect Gem Winter Crookneck . Mammoth Chili (extra size) . I English Vegetable Marrow	75 75 75 75 75 75 75 75 75 75 75 75 75 7
Black-eyed Marrowfat	Early White Bush. \$0 Early Striped Bush Early Golden Bush. Summer Crookneck Boston Marrow. Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow. Perfect Gem. Winter Crookneck. Mammoth Chili (extra size). I English Vegetable Marrow. TOMATOES. Livingston's Perfection \$2 Ignotum. 2 Acme (smooth, dark red) 2 Ponderosa 4 The Lorillard. 2 The Trophy (selected) 2	75 75 75 75 75 75 75 75 75 75 75 75 75 7
Black-eyed Marrowfat	Early White Bush. \$0 Early Striped Bush Early Golden Bush. Summer Crookneck Boston Marrow. Hubbard, or Winter. Essex Hybrid, or Winter. Marblehead Marrow. Perfect Gem. Winter Crookneck. Mammoth Chili (extra size). I English Vegetable Marrow. TOMATOES. Per Livingston's Perfection \$2 Ignotum. 2 Acme (smooth, dark red) 2 Ponderosa 4 The Lorillard. 2 The Trophy (selected). 2 Cardinal (brilliant red) 2	75 75 75 75 75 75 75 75 75 75 75 75 75 7
Black-eyed Marrowfat	Early White Bush . \$0 Early Striped Bush	75 75 75 75 75 75 75 75 75 75 75 75 75 7
Black-eyed Marrowfat.	Early White Bush . \$0 Early Striped Bush . Early Golden Bush . Summer Crookneck . Boston Marrow . Hubbard, or Winter . Essex Hybrid, or Winter . Marblehead Marrow . Perfect Gem . Winter Crookneck . Mammoth Chili (extra size) . I English Vegetable Marrow . Per Livingston's Perfection . \$2 Livingston's Perfection . \$2 Acme (smooth, dark red) . 2 Acme (smooth, dark red) . 2 Ponderosa . 4 The Lorillard . 2 The Trophy (selected) . 2 Cardinal (brilliant red) . 2 Mikado . 2 Livingston's Beauty . 2	75 75 75 75 75 75 75 75 75 75 75 75 75 7
Black-eyed Marrowfat	Early White Bush . \$0 Early Striped Bush . Early Golden Bush . Summer Crookneck . Boston Marrow . Hubbard, or Winter . Essex Hybrid, or Winter . Marblehead Marrow . Perfect Gem . Winter Crookneck . Mammoth Chili (extra size) . I English Vegetable Marrow . Per . I English Vegetable Marrow . Per . I English Vegetable Marrow . I English Vegetable . I En	75.75.75.75.75.75.75.75.50.50.50.50.50.50.50.50.50.50.50.50.50
Black-eyed Marrowfat.	Early White Bush. \$0 Early Striped Bush Early Golden Bush. Summer Crookneck. Boston Marrow. Hubbard, or Winter. Essex Hybrid, or Winter. Marblehead Marrow. Perfect Gem. Winter Crookneck. Mammoth Chili (extra size). I English Vegetable Marrow. **TOMATOES** Livingston's Perfection	75 75 75 75 75 75 75 75 75 75 75 75 75 7
Black-eyed Marrowfat.	Early White Bush. \$0 Early Striped Bush	75 75 75 75 75 75 75 75 75 75 75 75 75 7
Black-eyed Marrowfat.	Early White Bush. \$0 Early Striped Bush Early Golden Bush. Summer Crookneck. Boston Marrow. Hubbard, or Winter. Essex Hybrid, or Winter. Marblehead Marrow. Perfect Gem. Winter Crookneck. Mammoth Chili (extra size). I English Vegetable Marrow. **TOMATOES** Livingston's Perfection	75 75 75 75 75 75 75 75 75 75 75 75 75 7

VEGETABLE PLANTS, ETC.

The following plants and roots will be furnished in their season at market rates;

Asparagus Roots, Jerusalem Artichoke Tubers, Cauliflower Plants, Cabbage and Celery Plants, Lettuce Plants, Chives and Shallots, Egg-Plants, Pepper Plants, Hop-Vine Plants, Horse-radish Sets, Mint and Tarragon Roots, Tomato Plants, Rhubarb Roots, Strawberry Plants, Sweet Potato Plants.

HORTICULTURAL IMPLEMENTS.
Each Bill and Brush Hooks (See No. 156, page 30)
Flower Gatherers, to cut and hold
Manure and Hay Forks
Ladies' Weeding Forks (1 and 13)
Tobacco Fumigators
Cast Steel Dutch or Push Hoes, 4 to 10-inch 40 to 1 00
Cast Steel Draw or Garden Hoes 60 to 75
Hand Cultivators and Seed Sowers 6 oo to 12 oo
Cast Steel Potato Hook or Prong Hoes
Improved Hammers and Hatchets
Cast Steel Grass Hooks and Sickles 50 to 75
Cast Steel Grass Plot Edging Knives, 10-inch (9) 2 00
Asparagus Knives (19)
Pruning Knives of all sizes and patterns (186-938)
Budding Knives of various sizes and patterns (204-207)
Hand Mowers of various sizes and patterns
Garden Reels and Garden Lines (18)
Cast Steel Rakes, with handles 50 to 1 00
Wooden, Lawn and Hay Rakes
Davis Lawn Rake 60
Scythe Rifles and Scythe Stones
Vine Scissors, for thinning out grapes (20)
English Bow Slide Hand Pruning Shears
Improved Pole Pruning Shears
Grass Border Shears, for cutting borders, 9-inch (\$2.75) 10-inch
Cast Steel Hedge or Box Shears, with fly nut (100)
Ladies' Wood-Handled Garden Shears (107)
English Cast Steel Pruning Saws
Waters' Pole Pruner (6) 6, 8 and 10-foot 1 oo to 1 50
Pole Pruning Saw, with chisel
English Patent Lawn Scythes (14)
Improved Scythe Snaths
Cast Steel Shovels, short and long handled
Greenhouse Syringes, various sizes and patterns (4) 2 50 to 10 00
Transplanting or Garden Trowels, several sizes (25) 20 to 1 25
Mole Traps, Olmsted's Improved
Mole Traps, English, for frames (18)
Glaziers' Points, Van Reyper's per box (1,000), 75 cts
HORTICULTURAL BOOKS.
American Farm (revised). Allen \$2 50 How Crops Grow. Johnson \$2 00 American Fruit Culture. Thomas 2 00 Money in the Garden. Quinn 1 50
Asparagus Culture. Barnes & Robinson. 50 Mushrooms: How to Grow Them.
Bulbs and Tuberous-Rooted Plants. Falconer
Allen
Carnation Culture. Lamborn 1 50 Practical Floriculture. Henderson . 1 50
Chrysanthemum Culture. Morton 60 Rose, Treatise on the. Ellwanger 1 25
Fruit Garden. Barry 2 00 Small Fruit Culturist. Fuller 1 50
Gardener's Assistant. Bridgeman 2 00 The Forcing-Book. Complete instruc- Gardening for Pleasure. Henderson . 1 50 tions for all forcing operations. Bailey. 1 00
Gardening for Profit. Henderson 2 00 The Nursery Book. A Complete Guide
Grape Grower's Guide, Foreign. Charl- to Multiplication of Plants. Bailey . 1 00
ton
Grape Culturist. Fuller 1 50 tire range of the theory and practice
Home Floriculture. Rexford 1 50 of pruning. Bailey 1 00
Horticulturist's Rule Book. Bailey
New Publications not listed supplied to order at publisher's prices.



THE PLANET JR. HAND IMPLEMENTS.



wheels. It is nicely adapted to all conditions of land, working especially well in fresh ground or when planting on a ridge. The plow is adjustable, and opens a very narrow furrow, which is a great advantage for after-cultivation.


This is the first year that this machine has been offered widely by the manufacturers of the celebrated line of "Planet Jr."
THE NEW "PLANET JR." HILL-DROPPING SEED DRILL.
serymen during the season of 1895, and the manufacturers guarantee it to give entire satisfaction. **Price**, \$9.

The Planet Jr. Combined Hill-Dropping and Fertilizer Drill.

This tool is also new, and as a drill is exactly the same as the machine just described. The fertilizer hopper holds one peck. The fertilizer can be sown in any

noids one peck. The tertilizer can be sown in any quantity necessary, either above or below the seed, as desired, by setting that plow deeper or shallower than the other. The drills may be satisfactorily used also to sow either seed or fertilizer alone. The amount sown is regulated accurately by the dials, and the discharge of both was be reproduced. amount sown is regulated accurately by the dials, and the discharge of both may be stopped and started instantly, either separately or together, thus avoiding all loss at the ends of the row. Like the plain Hill-Dropping Drill, it does not sow when drawn backward, and can quickly be thrown entirely out of gear. This machine will be a great boon to all farmers and market-gardeners. It is thoroughly well made, and guaranteed to do satisfactory work. **Price**, \$14.


The Planet Jr. No. 2 Seed Drill.



This is a simple and most accurate drill, and has been the standard machine for years. It holds two and one-half quarts. It sows all garden seeds accurately at any desired thickness or depth; it opens, drops, covers, rolls down and marks the next row, all at one passage, in the most perfect manner. The continual revolution of the hopper keeps the seed loose, and makes sowing difficult seed, such as carrot, parsnip, beet, salsify, easy and perfect. The machine has no agitators, and hence delicate seed can be sown without danger of injury. It is the best machine on the market, except the Hill-Dropping Drill described above. This machine, with the "Planet Jr." Double Wheel Hoe (see description), makes an excellent combination for market-gardeners, and especially onion growers.

Price, \$6.50.

The Planet Jr. Combined Drill, Wheel Hoe, Cultivator, Rake and




COMBINED DRILL, WHEEL HOE, CULTIVATOR, RAKE AND PLOW.

This is unquestionably the most popular and perfect machine of its kind made. As a seed drill it is the same as the No. 2, except in size. It holds one quart. It has all the tools shown in cut. All blades are steel, tempered and polished. The Rakes are invaluable for preparing the ground for planting, for covering seeds, first cultivation, etc. The Hoes work closely and safely all rows up to 16 inches wide at one passage, leaving the ground nearly level. The plow opens furrows, covers them, hills, plows to and from, etc. The Cultivator teeth are admirably adapted to deep mellowing of the soil and marking out. Taken as a whole, this combined tool is the Taken as a whole, this combined tool is the nearest approach to perfection for the uses of a gardener that can well be devised in a single implement. **Price**, \$9.

The Planet Jr. Double-Wheel Hoe, Cultivator Rake and Plow.

This tool is the best for all who raise onions or garden vegetables on an extensive scale. It does the work of six to ten men with ordinary hand hoes. It can be used to straddle the rows or between rows,



are useful for marking out. The plows lay out deep furrows and cover them, hill-up or plow away as desired, The leaf-guards allow cultivation of large plants, such as beets, carrots, parsnips, beans and peas. No vegetable grower can afford to be without it. **Price, complete, \$6.**

DOUBLE-WHEEL HOE, CULTIVATOR, RAKE AND PLOW.

will be offered with only one pair of hoes and without leaf-guards, as the "Planet Jr." Double-Wheel Hoe, \$3.50. This makes a very effective and cheap tool for parties who have limited work or chiefly hoeing.

The Planet Jr. Single-Wheel Hoe, Cultivator, Rake and Plow.





"FIRE-FLY" WHEEL GARDEN PLOW.


"Fire-Fly" Wheel Garden Plow.

This tool is intended for those who have but small This tool is intended for those who have but small gardens and a moderate amount of time to spend in them. It enables them to raise vegetables for their family or for market with a minimum expenditure of labor and time, the latter being often the most important item to many who would be glad to grow their own vegetables if they could do it in their spare moments. The moldboard is tempered and polished steel. The depth may be changed as desired very quickly. The low price brings it within reach of all. **Price**, \$2.

The "Fire-Fly" Single-Wheel Hoe, Cultivator and Plow Combined.



The Planet Jr. Grass-Edger.



THE PLANET JR. GRASS-EDGER

A cheap, handy and effective Grass Edger is a treasure, and here it is; one with which you can in an hour edge beautifully the walks and the flower and shrub beds of an ordinary half-acre Jawn. Think of it; why in the usual way it would take a day. This perfect little tool does either straight or curved work most accurately, edging at the desired angle and at the speed of a mile an hour. It will give more genuine pleasure and satisfaction for a moderate cost and the little time expended in its use than the lawn mower. It should be the constant companion of the mower, and is regarded as invalthe constant companion of the mower, and is regarded as invaluable in giving the last touch of neatness to the lawn when the mower has done its best. Strawberry growers will find it a rapid and perfect tool for cutting off surplus runners. For this work the hoe may be removed. By removing the wheel, the hoe may be used alone with great satisfaction in the vegetable earden, first cutting away from the crop, and then returning the earth. All the "Planet Jr." tools are remarkable for their adaptability to different conditions, the ease with which they may be operated, and the long time they remain in good running condition. **Price**, \$5.

FLOWER SEEDS.

GENERAL DIRECTIONS FOR THE CULTIVATION OF ANNUAL, BIENNIAL AND PERENNIAL FLOWERS.

Plants are known and described generally as Annuals, Biennials and Perennials.

Annuals are those plants that flower and mature their seed within a year after they are sown, and then perish. This definition is in no way changed by the fact that many annuals may be managed as biennials, or, in other words, be sown in autumn for flowering early the following season.

Tender Annuals are those that require heat, and will not germinate in the open ground until settled warm weather.

Half-Hardy Annuals are those which will bear a slight frost, and may be sown in the open ground a little earlier than tender annuals.

Hardy Annuals are usually those which require no artificial heat during any period of their growth—every stage of their existence, from the time of sowing the seed to maturity, is passed in the open ground.

Biennials are those plants that flower the second, and sometimes the third, year after the seed is sown, and then perish.

Perennials are those plants that live and perpetuate their species throughout many years successively.

The last two classes are again divided in respect to their endurance of low temperature, as TENDER, HALF-HARDY and HARDY.

Tender Biennials and Perennials are greenhouse or dwelling-house plants, requiring artificial heat to protect them from frost.

Half-Hardy Biennials and Perennials are those that require a slight covering of straw or litter during cold weather.

Hardy Biennials and Perennials are those that will stand the coldest winter weather without protection.

Soils Most Suitable.—The soil best adapted to a majority of plants is a light, friable loam, containing a moderate quantity of vegetable matter, and enough sand to render it porous; but as it seldom happens that the amateur has a choice of soil, it is fortunate that most of them will succeed in any but such as is of an extremely dry or gravelly nature, or of a stiff, heavy, retentive quality.

Manures.—The use of strong, crude manures should be carefully avoided. In ordinarily good soil, an annual dressing of decomposed stable-manure, dug in to the depth of about ten inches, and thoroughly incorporated with the soil, will be all that is needed.

Time of Sowing.—With regard to the proper time of sowing flower seeds, much necessarily depends on the character of the season. As a general rule (near New York city) hardy kinds may be sown in the open ground about the middle of April, half-hardy kinds during the first week of May, and tender kinds after the middle of May.

The best method to obtain early flowers is to sow seeds of the most desirable tender and half-hardy species in pots early in March. If kept in a warm greenhouse or window, or plunged into a moderate hotbed, they will be ready to transplant to the open ground early in May. The season of blooming will be made fully three weeks earlier thereby.

Mode of Sowing.—Seeds may be sown in patches among the border plants in rows or groups where they are to remain, or in a nursery bed, and afterwards transplanted. As a general rule, the surface soil should be rather dry than otherwise at the time of sowing; the operation must not be undertaken when the ground is very wet, especially at an early period of spring.

The Depth at which seeds should be sown will vary with their size. Large seeds, such as Lupins, Marvel of Peru, or Sweet Peas, should be sown about half an inch deep; medium size seeds, such as Balsams, Convolvulus or Thunbergia, about a quarter of an inch deep; while such as are very small require to be sown on the actual surface, a slight pressure being then sufficient to imbed them to a proper depth. If sown too deep, they are longer in germinating, and the smaller ones are liable to decay through want of strength to open the pores of the earth. In the absence of rain, water the seeds occasionally from a watering-pot with a very fine rose.

Transplanting.—As soon as the seedlings are an inch high, they may be transplanted to different parts of the garden. Remove the plants carefully with a small garden trowel, retaining as much of the soil to the roots as possible. Place the large-growing kinds in the rear, and the small in front; above all things, avoid crowding them. Transplanting should, if possible, be performed in cloudy weather, or towards evening; and, unless the soil is wet, the seedlings should be slightly watered, to settle the soil about the roots, shading them for a day or two

afterwards, if necessary.

The Risk and Trouble of transplanting may be avoided by adopting the following method of sowing the seeds: Take a package of say twenty varieties, and number the bags from 1 to 20; then sow a small circle from each bag in the order in which they are numbered, and insert a short stick in the center of each circle as a mark. By this method the twenty varieties are distributed along the border in succession; and as each bag will be sufficient for about three circles, or three assortments of twenty varieties each, they may be sown in three different aspects of the garden, which will not only give the various flowers the best possible chance with regard to exposure, but show the varieties to the best possible advantage. By preserving the bags, the mere novice, by referring to the name and number on each, will become acquainted with the different varieties from the order in which they stand in the garden. This system may be practiced to advantage either on a large or small scale.

Neatness is indispensable in a flower garden, and neither the variety nor beauty of the plants will compensate for its absence. As the plants advance in growth, frequent weeding and hoeing will be necessary, as well for the sake of neatness as to stimulate their growth. Tie the tall-growing kinds to neat rods or sticks, and train the vines or climbers on trellises, strings or poles.

EXPLANATION OF FLOWER SEED CATALOGUE.

The First Column gives the botanical or scientific names.

The dagger (†) indicates Everlasting flowers, which, if cut and dried (before maturity), will retain their color and beauty for several years.

The asterisk (*) denotes climbing plants.

The ('') or (-) indicates in all cases a repetition.

The Second Column gives the common names, for Index of which see page 55.

The Third Column shows the color of the flower, abbreviated as follows, viz.:

bblue.	crcrimson.	1.—light.	r.—red.	sulsulphur.
blkblack.	divdiverse.	li.—lilac.	ro.—rose.	trithree col'd.
bord.—bordered.	dadark.	marmarbled.	saf.—saffron.	v.—violet.
brbrown.	gngreen.	or.—orange.	s.—scarlet.	va.—variegated.
bubuff.	golgolden.	pkpink.	spot.—spotted.	wwhite.
car.—carmine.	gy.—gray.	pur.—purple.	stri.—striped.	yel.—yellow.

The Fourth Column indicates the usual height in feet, under good cultivation; or the word (tra.) denotes trailing or lying on the ground.

The Fifth Column shows the hardiness and duration of each kind, viz.:

```
tA.—tender annual.

hhA.—half-hardy annual.

hA.—hardy annual.

hhB.—half-hardy perennial.

hhB.—half-hardy biennial.

hhB.—half-hardy perennial.
```

The Sixth Column gives the price of each paper or packet.

Many kinds marked annuals are adapted to pot-culture in winter, and several kinds of biennial and perennial plants will flower the first year from seed, if started early in the season.

All the leading species and varieties of flower seeds may be had by weight, if desired; for prices, see list on page 53.


FLOWER SEEDS.

The great interest manifested in the cultivation of flowers, and the increasing demand for new varieties, have induced us to give particular attention to this department. In addition to the many kinds grown here, we import annually from England, France and Germany all the standard kinds and novelties as they appear there; and no expense is spared to make the collection as select and varied as any to be found in this country.


**For Ornamental Grasses, see page 51; Flower Seeds by Weight, page 53; Index of Common Names, etc., pages 55 and 56.

Flower Seeds Forwarded by Mail, Free of Postage, on Receipt of Prices Annexed.

Betanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Abronia umbellata	Abronia, Umbel-flowered	rose	1/2	hhA	\$0 05
—grandiflora	New Deep Rose	pink	1/2	hhA	10
Abutilon in vars	Chinese Bell-flower	div.	div.	tP	25
Darwini	Crimson Bell-flower	crim.	4	tP	25
Acacia in vars	Acacia, Fine Mixed	div.	div.	tΡ	10
Aconitum napellus	Monk's-hood	blue	2	hP	5
Acroclinium roseum	Everlasting Flower, Rose	rose	I	hhA	5
—album†	White	white	1	hhA	10
—fl. pl.†	Double Rose	rose	ı	hhA	10
Adlumia cirrhosa*	Mountain-fringe Vine	pink	10	hP	10
Adonis æstivalis	Pheasant's-eye	scarlet	1	hA	. 5
Ageratum Mexicanum	Ageratum, Blue	blue	2	hA	5
nanum	Imperial Dwarf	blue	1/2	hA	5
—album	Dwarf White	white	1/2	hA	5
Lasseauxi	Rose-flowered	rose	I	hP	5
Agrostemma coronaria	Rose Campion	rose	2	hP	5
—alba	White Campion	white	1 1/2	hP	5
Alonsoa grandiflora	Alonsoa, Large-flowered	scarlet	1 1/2	hhA	5
linifolia	Roezl's	1. s.	ı	hhA	10
Aloysia citriodora	Lemon-scented Verbena	white	2	hhP	10
Alstrœmeria hybrida	Finest Hybrid	div.	2	tP	10
Althæa albafl. pl	Hollyhock, Double White	white	3	hB	10
coccinea fl. pl	Double Scarlet	scarlet	3	hB	10
rosea fl. pl	Double Rose	rose	3	hB	10
lutea fl. pl	Double Yellow	yellow	3	hB	10
varius fl. pl	Double Mixed	div.	div.	hB	10
Collection	See page 52.				
Alyssum maritimum	Alyssum, Sweet	white	1/2	hA	5
—compacta	Tom Thumb	white	1/2	hA	5
saxatile	Golden	golden	ĭ	hP	5
Amarantus tricolor	Joseph's Coat	tri.	2	tA.	5
caudatus	Love-lies-bleeding	crim.	3	hhA	5
hypochondriacust	Prince's-feather	crim.	3	hhA	5
Henderi	Amaranthus, Variegated	div.	3	hA.	5
melancholicus	Blood Red	red	3	hhA	5
bicolor ruber	Carmine and Yellow	car.&yl.	2	hhA	5
salicifolius	Fountain Plant	br. & s.	3	hhA	10
nobilis pyramidalis	Rose-spiked	rose	5	hhA	10
Collection	See page 52.		-	1	
Ammobium alatum+	Ammobium, Winged	white	1 1/2	hA	5
Ampelopsis Veitchii*	Japanese Ivy	green	50	hP	10
Anagallis varius	Pimpernel, Mixed	div.	I	hhA	5
Anchusa capensis	Cape Alkanet	blue	2	hhP	10



Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Anemone coronaria	Wind-flower	div.	ı	hP	\$o o 5
pulsatilla	Pasque-flower	violet	1	hP	5
Antirrhinum hybridum	Snapdragon, Fine Mixed	div.	1 1/2	hhP	5
Angelonia grandiflora	Angelonia, Sweet-scented	blue	1 1/2	tP	15
Anoda Dilleniana	Blue Hibiscus	blue	2	hA	5
Aquilegia Sibirica	Columbine, Double Violet	violet	1 1/2	hP	10
chrysantha	Golden-spurred	yellow	2	hP	10
cœrulea	Large-flowered	b. & w.	2	hP	10
Skinneri	Scarlet and Yellow	sc. & yl.	1 1/2	hP	10
caryophylloides	Striped	striped	1 1/2	hP	10
varius	Vulgaris and Mixed	div.	2	hP	10
Collection	See page 52.				
Arabis alpina	Arabis, Sweet-scented	white	3/4	hP	10
Arctotis breviscapa	Arctotis, Orange, Dark Center		1/2	hhA	10
Argemone grandiflora	Poppy, White Mexican	white	2	hA	5
speciosa	Yellow	yellow	2 1/2	hA	10
Aristolochia sipho*	Dutchman's Pipe Vine	yel & br.	15	hP	10
Arnebia cornuta	Arabian Primrose	yellow	2	hA	25
Asclepias tuberosa	Swallow-wort	orange	2	hP	5
Asperula azurea setosa	Asperula, Light Blue	blue	1	hA	10
odorata (Woodruff)	Sweet-scented	white	1/2	hP	10
Aster Chinensis Eugenie	Aster, Imbricated Pompon	div.	2	ĥА	10
Comet Rose	Comet	1	2	hA	10
-Snow White	White	white	2	hA	10
Truffaut's White	Pure White	white	1 1/2	hA	10
—Blood Red	Dark Red	red	1 1/2	hA	10
—cœruleus	Black-Blue	blue	1 1/2	hA	10
—Mixed	Pæony-flowered		2	hA	10
Ball, or Jewell	Apple Blossom		2	hA	10
Snowball, or Princess.	Pure White		I ½	hA	25
Branching	Late Blooming		2	hA	10
Cocardeau	Crown-flowered	div.	2	hA	10
Washington	New Perfection,	div.	2	h A	10
Mignon	Pure White Mignon	white	I ½	hA	15
—Mixed	Mixed	div.	1 1/2	hA	10
Victoria White	Dwarf White	div.	1 1/2	hA	10
—Mixed	Mixed Victoria	div.	2	hA	10
chrysanthemiflorus	Dwarf Bouquet	div.	I	hA	10
Ried's Mixed	German Quilled	div.	1 1/2	hA	5
varius	Mixed China	div.	2	h A	5
tenellus	Biennial Aster	blue	1 1/2	hhB	10
Collections	See page 51.				
Astragalus caryocarpus	Astragalus, Red-fruited	rose	2	hP	10
Athanasia annua	African Daisy	yellow	I	hA	10
Aubrietia deltoides	Rock Plant	lilac	1/2	hP	10
Azalea indica	Azalea, Fine Mixed	div.	div.	tP	25
Balsamina impatiens rosea.	Lady's Slipper, Double Rose	rose	1 1/2	tP	10
-kermesina	Double Scarlet	scarlet	1 1/2	tA.	10
—albiflora	Double White	white	1 1/2	tA	10
-violacea	Double Violet	violet	1 1/2	tA	10
-Victoria	Double Striped	striped	1 1/2	tA.	10
-Solferino	Double Spotted		1 1/2	tA.	10
-camelliæflora	Mixed Double	div.	2	tA.	10
—varius	Mixed Paris	div.	1 1/2	tA	5
Collections	See page 52.	blu-		h.D	
Baptisia australis	(Polydaria australis)		2	hP	5
Begonia hybrida	Begonia, Single Tuberous-rooted		2	tP	25
≠fl. pl	Double Tuberous-rooted	div.	2	hA	50
Bartonia aurea.	Golden Bartonia.	yellow	1/2	hhP	5
DELLIS DOTODOS	Daisy, Finest Double	div.	1/2		25
Bellis perennis	Double Pegg	TOPE			
-Longfellow	Double Rose	rose	1/2	hhP	25
	Double Rose	yellow	3 2	hA hA	25 5 10




Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Brachycome iberidifolia	Daisy, Blue Swan River	blue	3/4	hhA	\$0 10
—in varieties	Mixed	div.	3/4	hhA	10
Browallia elata	Amethyst, Blue	blue	1 1/2	t A	10
alba	White	white	1 1/2	tA.	10
Bryonopsis erythrocarpa*	Ornamental-fruited Vine	red	8	t A	10
Cacalia coccinea	Tassel-flower, Scarlet	scarlet	, I	hA	5
aurantiaca	Orange	orange	I	hA	5
Calandrinia speciosa	Lindley's Calandrinia	red	1	hA	5
—umbellata	Umbel-flowered	crim.	I	hA	10
Calceolaria hybrida grand	Calceolaria, Mixed	div.	2	tP	25
—punctata superba	Superb Spotted	div.	1 1/2	tP tP	25
rugosa scabiosæfolia	Finest Shrubby	yellow	2	hA.	50
Calampelis scaber*	(Eccremocarpus) Vine	orange	1 1/2	tA	10
Calendula pluvialis	Marigold, Cape	white	I 1/2	hA	10
—officinalis	Double Pot	orange	I	hA	5
-Meteor	Double Pot	golden	I	hA	5
-Prince of Orange	New Double Pot	golden	I	hA	5
Calliopsis tinctoria	Coreopsis, Golden	y. & br	2	hA	5
—coronata	Crowned	spotted	1 1/2	h A	5
-Golden Wave	Golden Yellow	yellow	1	hA	5
-atrosanguinea	Crimson	crim.	2	hA	10
lanceolata	Yellow	yellow	3	hP	10
Callirrhoe pedata	(Nuttalia grandiflora)	red	2	hhA	10
Campanula medium	Canterbury Bell, Blue	blue	2 1/2	hhB	5
—alba	White	white	2 1/2	hhB	5
—in varieties	Single Mixed	div.	2 1/2	hhB	5
—alba fl. pl	Double White	white	2 1/2	hhB	10
—rosea fl. pl	Double Pink	pink	2	hhB	10
—varius	Double Mixed	div.	2	hhB	· 10
speculum	Venus' Looking-glass	div.	3/4	h A	5
carpatica	Carpathian Bell-flower	div.	1/2	hP	5
Condetuft	See page 52. See Iberis.				
Candytuft	Indian-shot, Scarlet	scarlet	2	hhP	-
Nepalensis	New Yellow	1. & y.	3	hhP	5 10
Madam Crozy	Scarlet, Yellow Border		3	hhP	10
In varieties	Crozy's Finest		31/2	hhA	10
Cannabis gigantea	Giant Hemp		10	tA	5
Canterbury Bells.	See Campanula.				3
Cardiospermum halica'm*	Balloon Vine	white	10	tA	5
Carduus benedictus	Ornamental Thistle	yellow	3	h A	10
Castilleja indivisa	Scarlet Castilleja	scarlet	I 1/2	hhA	25
Castor Oil Plant				i	
Cedronella cana	Sweet-scented Cedronella	purple	2	hP	10
Celosia cristata, in vars.			3	tA.	5
—Japonica†			2	t A	10
-margaritaceat	Rose-spiked		2	tA.	5
-Glasgow Prize	New Purple		3/4	t A	10
aurea pyramidalis	New Golden		2	tA	10
Triomphe d'Exposition			3	tP tA	10
kermesina†		CI IIII.	2	LA	10
Contagram morehata		purple	2	hA	5
Centaurea moschata	1		2	hA	5 5
suaveolens			1 1/2	hA	5
in vars	3.51		div.	bA.	5
cyanus	Corn-bottle, or Mixed Blue		2	hA	5
—fl, pl	25 11 34: 3		2	hA	10
—cœruleus	71 1 11		2	hA	5
—rosea	Rose	rose	2	hA	5
Americana	Centaurea, American	lilac	3	hA	5
Clementei	. White Cut-leaved		I	hhP	10
gymnocarpa	Silver Cut-leaved	purple	1 1/2	hhP	IO



Convolvulus.


Botarical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and hardi- ness.	Price per Paper.
Centaurea candidissima	Centaurea, White-leaved	white	ı	hhP	\$o 10
Centranthus macrosiphon	Long-tubed Centranthus	pink	1	hA	5
Cheiranthus cheiri	Wallflower, Bloody	b. & w.	2	hhB	5
— fl. pl	German Double	div.	div.	hhB	10
Cerastium Biebersteinii	Silver-leaved Rock Plant		1/2	hΡ	10
Chamæpeuce diacantha	Spine-leaved Chamæpeuce	var.	2	hP	10
Chelone barbata	Bearded Pentstemon	scarlet	2	hP	10
Chorizema, in vars	Finest Mixed	div.	div.	tP	25
Chrysanthemum Dunnetti.	Chrysanthemum, Golden	yellow	1	hA	5
W. E. Gladstone	Brilliant Crimson	crim.	I	hA	10
Lord Beaconsfield	Crimson-edged	crim.	1	hA	10
The Sultan	Maroon, Gold Ring	maro'n	1	h A	10
venustum	Crimson	crim.	2	hA	5
varius	Double Annual Mixed	div.	div.	hA	5
frutescens	Paris Daisy, Marguerite	white	ī	hA	10
indicum fl. pl	Chinese Artemisia	div.	dív.	hhP	10
CHOICE COLLECTION	See page 52.				
Cineraria hybrida grandifi.	Cineraria, Hybrid	div.	2	tP	25
—nana in vars	Dwarf Hybrid	div.	I	tP	25
flore pleno	New Double	div.	1 1/2	hhP	50
maritima	Dusty Miller	yellow	2	tP	10
Clarkia pulchella	Clarkia, Lilac	lilac	I	hA	5
pulcherrima	Crimson	crim.	I 1/2	hA	10
—alba nana	White	white	3/4	hA	10
varius	Mixed	div.	div.	hA	5
Clematis flammula*	Virgin's Bower	white	10	hP	10
varius*	Mixed Perennial Clematis	div.	10	hhP	25
Cleome speciosa	Spiderwort or Spider-flower	purple	4	hA	10
Clianthus puniceus*	Glory Vine, Crimson	crim.	6	tP	10
Dampieri*	Dampier's	scarlet	6	tΡ	10
Clintonia pulchella	Clintonia, Blue and White	bl & w.	1/2	tA	10
—alba	Pure White	white	1/2	tA	10
Cobæa scandens*	Cobæa, Climbing	purple	20	tP	10
—alba*	White Climbing	white	10	tP	15
Coccinea indica*	New Scarlet-fruited Gourd	red	6	tA	10
Cockscomb	See Celosia.	100			
Coleus, in varieties	Fine Mixed Coleus	div.	div.	tP	25
Collinsia bicolor	Collinsia, Two-colored	p. & w.	I	hA	5
—alba	White	white	1	hA	5
vera	Sky Blue and White	sk-b&w.	I	hA	5
varius	Mixed	div.	r	hA	5
Collomia coccinea	Scarlet Collomia	scarlet	ı	hA	5
Commelina cœlestis	Blue Commelina	blue	1 1/2	hhP	5
Convolvulus majus albus*	Morning-glory, White	white	10	hA	5
—kermesinus*	Scarlet	scarlet	10	hA	5
-maculatus*	Spotted	div.	10	hA	5
-varius*	Mixed	div.	10	hA	5
-azureus superbus*	New Golden	yellow	8	hA	10
mauritanicus	Convolvulus, Bright Blue	blue	tra.	hhP	10
unicaulis	Upright	b.&pur.	I	hA	5
minor albus	White Dwarf	white	tra.	hA	5
—monstrosus	Large-flowering	tri.	tra.	hA	5
—varius	Mixed Dwarf	div.	tra.	hA	5
Coreopsis.	See Calliopsis.				,
Cornflower	See Centaurea Cyanus.				
Coronilla, in vars	Mixed Coronilla	yellow	div.	tP	25
Cosmidium Burridgeanum.	(Cosmidium bicolor)	cr. & br.	2	hA	10
Cosmos bipinnata purpurea.	Cosmos, Purple	purple	4	hA	10
—alba	White	white	4	hA	10
in vars.	Mixed	div.	4	hA	10
Crepis barbata	(Tolpis barbata)	yellow	1	hA	5
rubra	Red Hawkweed	red	1	hA	5



Ditible Primit & Cleb Chi me Coul.							
Betanical Names, etc.	Common Names, etc.	Coler.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.		
Cucumis flexuosus*	Melon, Snake		10	tA	\$o 10		
odoratissimus*	Pomegranate	vellow	10	tA	5		
grossularifolius*	Gooseberry-fruited	yellow	8	tA	10		
perennis*	Cucumber Vine		15	tA	10		
Cucurbita aurantiaca*	Gourd, Mock Orange	yellow	10	tA	5		
melopepo*	Apple-shaped	yellow	10	tA	. 10		
massue*	Hercules' Club	white	10	tA	5		
lagenaria*	Bottle		10	tA	5		
Cuphea platycentra	Cigar Plant	tri.	1 1/2	tΡ	10		
Cyclamen Persicum	Cyclamen, Mixed	w. & ro.	1/2	tP	25		
-giganteum	Large-flowering	div.	1/2	tΡ	25		
Cyclanthera pedata*	Climbing Cucumber	yellow	6	hA	IC		
Cynoglossum linifolium	Venus' Navelwort	white	1/2	hP	: 5		
Cytisus scoparius	Scotch Broom	yellow	3	hA	10		
Dahlia nanus in vars	Dahlia, Single Dwarf	div.	3	hhP	10		
Large Double	Double Large-flowering	div.	4	tP	10		
Datura fastuosa alba	Double Stramonium	white	3	hA	5		
meteloides	Datura, Wright's	y. & li.	2	hA	10		
humilis fl. pl	Double	yellow	2	hhA	10		
Delphinium ajacis in vars	Larkspur, Mixed Rocket	div.	I	hA	5		
consolida in vars	Mixed Branching	div.	2	hA	5		
imperialis fl. pl	Annual Double	blue	2	hA	10		
Stock-flowered	Rose-scarlet Double	r. scar.	1/2	hA	15		
Brunonianum	Musk-scented	1. blue	1	hP	25		
Zulil	Sulphur Yellow	yellow	3	hΡ	15		
Chinensis in vars	Mixed Chinese	div.	2 1/2	hΡ	5		
formosum	Blue and White	b. & w.	2	hΡ	10		
—cœlestinum	Celestial Blue	blue	2	hP	10		
—album grandiflorum.	Pure White	white	2	hP	IO		
nudicaule	New Scarlet	scarlet	1 1/2	hP	10		
elatum	Mixed Bee	div.	3	hP	5		
CHOICE COLLECTIONS	See page 52.						
Dianthus Chinensis alba	Indian Pink, Double White	white	3/4	hA	10		
—atrosanguinea	Double Red	red	3/4	hA	10		
-varius	Fine Mixed	div.	div.	hA	5		
—nanus in vars	Double Dwarf	div.	1/2	hA	IO		
imperialis fl. pl	Pink, Double Imperial	div.	I	hA	10		
—nanus in vars	Dwarf Crimson	crim.	1/2	hA	10		
Heddewigii	Mixed Single Japan	div.	I	hA	10		
—Double	Mourning Cloak	div.	I	hA	10		
—diadematus fl. pl	New Diadem	div.	I	hA	10		
—laciniatus	Fringed Japan	div.	1 1/2	hA	10		
—striatus fl. pl	New Striped Japan	div.	I	hA	10		
deltoides	London Pride or Maiden	pink	3/4	hP	5		
plumarius	Pheasant's-eye	div.	I	hP	5		
caryophyllus in vars	Carnation Pink, Mixed	div.	2	hhP	10		
—flore pleno	Marguerite	div.	I	hhP	10		
—nanus	Double Dwarf Vienna	div.	I	hhP	10		
-Grenadin fl. pl	New Scarlet	scarlet	I 1/2	hhP	25		
—perpetual fl. pl	Tree, or Monthly	div.	2	hhP	25		
punctatus	Pink, Mixed Picotee	div.	2	hhP	25		
barbatus in vars	Sweet-William, Mixed	div.	I	hP hP	. 5		
—flore pleno	Double Mixed	div.	I	пг	10		
	See page 52.	red	T 1/	hΡ	-		
	Fraxinella, or Gas-plant	blue	1 ½ 2	hhA	5		
Dictamnus rubra	(Trachimene Hugelia)			HILL	10		
Dictamnus rubra Didiscus cœrulea	(Trachimene Hugelia)				-		
Dictamnus rubra Didiscus cœrulea Digitalis alba	Foxglove, White	white	3	hP	5		
Dictamnus rubra Didiscus cœrulea Digitalis alba purpurea	Foxglove, White	white purple	3	hP hP	5		
Dictamnus rubra. Didiscus cœrulea. Digitalis alba. purpurea. punctata.	Foxglove, White	white purple spotted	3 3 3	hP hP hP	5 5		
Dictamnus rubra. Didiscus cœrulea. Digitalis alba. purpurea. punctata gloxiniæflora.	Foxglove, White	white purple spotted div.	3 3 2 ¹ / ₂	hP hP hP	5 5 5		
Dictamnus rubra Didiscus cœrulea Digitalis alba purpurea punctata gloxiniæflora in varieties	Foxglove, White	white purple spotted div. div.	3 3 3 2½ div.	hP hP hP hP	5 5 5 5		
Dictamnus rubra. Didiscus cœrulea. Digitalis alba. purpurea. punctata gloxiniæflora.	Foxglove, White	white purple spotted div.	3 3 2 ¹ / ₂	hP hP hP	5 5 5		

Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Dracocephalum Canadense.	Balm of Gilead	li.&pur.	2	hhP	\$o 10
Echeveria in vars	Fine Mixed Echeveria	div.	div.	tP	25
Epacris hybrida	Mixed Hybrid Epacris	div.	div.	tP	50
Erica in varieties	Fine Mixed Heath	div.	div.	tP	25
Erodium moschatum	Musk Geranium	lilac	3/4	hhP	10
Eryngium Leavenworthit	Purple Everlasting-flower	purple	2	hA	10
Erysımum Peroffskianum	Hedge Mustard	orange	I	hA	5
Erythrina crista-galli	Coral Plant	scarlet	4	tP	25
Eschscholtzia Californica	Chriseis, Californian	yellow	Ī	hA	5
—alba	White	white	I	hA	5
crocea	Orange	orange	I	hA	5
-rosea	Rose	rose	· I	hA	5
Mandarin	Orange and Scarlet	or & sc.	I	hA	5
varius	Fine Mixed	div.	1	hA	5
Eucalyptus globosus	Fever-and-Ague Plant		10	tP	10
Eupatorium Fraseri	White Eupatorium	white	2	hhP	10
Euphorbia marginata	Snow-on-the-Mountain	w. & gr.	3	hhA	5
pandurata	Red-striped	lilac	3	hhA	10
Eutoca Wrangeliana	Eutoca, Wrangel's	lilac	ī	tA	5
viscida	Bright Blue	blue	1	tA	5
Fenzlia dianthiflora	Three-colored Fenzlia	l.cr.∨	1/2	hhA	10
Ferns in varieties	Fine Mixed Ferns	div.	div.	hhP	25
Forget-me-not.	See Myosotis.				
Fuchsia in varieties	Mixed Fuchsia	div	div.	tP	25
Gaillardia picta	Gaillardia, Painted	cr. & y.	I	hhA	5
—Lorenziana	Mixed	div.	1 1/2	hhP	10
Gentiana acaulis	Blue Gentian	blue	1/2	hP	10
Geum coccineum fl. pl	Double Geum	scarlet	11/2	hP	5
Gilia tricolor	Gilia, Three-colored	3-col.	I	hA	5
nivalis alba.	Snow White	white	I	hA	5
capitata	Azure Blue	blue	I	hA	5
in varieties	Mixed	div.	I	hA	5
Glaucium rubrum	Horned Poppy, Red	red	1	hhP	10
corniculatum	White-leaved	yellow	ī	bhP	10
Gloxinia, Emperor Fred'k.	Gloxinia, Scarlet	scarlet	I	tP	50
in varieties	Finest Mixed	div.	I	tΡ	25
Godetia, Duchess of Albany	Godetia, White	white	11/2	hA	10
Lady Satin Rose	Brilliant Rose	rose	11/2	hA	10
Lady Albemarle	Dark Crimson	crim.	11/2	hA	10
Gomphrena globosa alba†	Globe Amaranthus, White	white	I	tA	5
-kermesina +	Crimson	crim.	ī	tA.	5
-aurea†	Orange	orange	I	tA	5
—nana compacta†	Rich Red	red	1/2	tA	5
in varieties	Mixed	div.	I	t A	5
Grevillea robusta	Silk Oak	orange	5	tP	10
Gypsophila elegans	Gypsophila, White	white	I	hA	5
muralis	Dwarf Rose.	rose	1/2	hA	10
Hedysarum coronarium*	French Honeysuckle	r. & w.	2	hB	5
Helianthus annuus	Sunflower, Double Dwarf	vellow	4	hA	5
—Oscar Wilde	Yellow, Dark Center	gol. y.	4	hA	5
—giganteum	Mammoth Russian	yellow	9	hA	5
—centrochlorus fl. pl	Green-centered	y. & gr		hA	5
—argophyllus fl. pl	Silvery foliage	striped	5	hA	5
Helichrysum bracteatum.	Eternal Flower, Yellow	yellow	2	hA	5
—album†	White	white	2	hA	5 5 5
macranthum†		pink	2	hA	5
—in varieties†		div.	2	hA	5
nanum in varieties		y. & w.		hA	5
			2	hA	10
monstrosum fl. pl		blue	1/4	hhA	10
Heliophila Archiodes	I Pright Dide Henophila				Ic
Heliotropium Peruvianum	Mixed Heliotrope	. div	l giv	I LP	1 40
Heliotropium Peruvianum.			div.	tP hhA	
	Everlasting-flower	gol, y.	1 1/2		Ic

Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Hibiscus Africanus	Bladder Ketmia	bu.&br.	1 1/2	hA	\$0 05
Crimson Eye	Marshmallow	wh.& cr	4	hP	10
militaris	Rose-mallow	rose	4	hP	5
Hollyhock	See Althæa.		7		,
Humea elegans	(Calomeria Aramantoides)	red	6	hhP	10
Humulus Japonicus*	Japan Hop	green	25	hA	10
Iberis amara	Candytuft, White	white	1	hA	5
coronaria	Rocket	white	1	hA	5
odorata	Fragrant	w bite	3/4	h A	5
Dunnettii	Dark Crimson	d. crim	1	hA	5
lilacina	Rosy Lilac	lilac	3/4	hA	5
Empress	Large White	white	I	h A	10
nana hybrida	Dwarf Mixed	div.	1/2	h A	10
in varieties	Mixed	div.	I	hA	5
sempervirens	White Perennial	white	I	hhP	10
Collection	See page 52.				
Impatiens glanduligera	Touch-me-not	red	2	tA	10
-Sultani	Perennial Balsam	scarlet	2	hhP	25
Ipomœa quamoclit*	Cypress-vine, Scarlet	scarlet	10	t A	5
—alba*	White	white	10	t A	5
coccinea*	Star Ipomœa, Scarlet	scarlet	10	hA	5
—lutea*	Two-colored	s. & y.	10	hA	5
Ferrandiana*	Ipomœa, Sky-blue	blue	10	hhA	5
grandiflora alba*	Moon-flower	white	10	tA	10
bona-nox*	Good-night	white	6	tA	_ 5
rubro-cœrulea*	Azure-blue	r. & b.	10	tA	10
varius*	Mixed	div.	div.	tA	10
Learii*	Blue and Violet	b. & v.	8	tP	25
Kaulfussia amelloides	Kaulfussia, Blue	blue	I 2/	hA	5
kermesina Kennedya in varieties*	Crimson	crim. div.	3⁄4 8	hA tP	10
Lantana in varieties	Mixed Kennedya	div.	div.	tP	25 10
Larkspur	Mixed Lantana See Delphinium.	uiv.	uiv.	ır	10
Lathyrus odoratus albus*	Sweet Peas, White	white	-	hA	5
—carneus*	Crown Princess	rose	5 5	hA	5
-Butterfly*	White and Lilac	wh. & li.	5	hA	5
—pictus*	Painted Lady	ro. & w.	5	hA	5
—coccineus*	Invincible	scarlet	5	hA	5
-Adonis*	Carmine	car.	5	hA	5
-Miss Blanche Ferry*	Rich Red, white striped		5	h A	5
—purpureus*	Purple	purple	5	hA	5
—niger*	New Black	black	5	hA	5
-Captain Clarke*	Tricolor	3-col.	5	hA	5
-Fairy Queen*	White and Rose	w. & ro.	5	hA	5
-Princess Beatrice*	Beautiful Rose	rose	5	hA	5
-Countess of Radnor*	Delicate Lavender	lav.	5	hA	5
Primrose*	Pale Primrose Yellow	yel.	5	hA	5
-Emily Henderson*	Large White	white	5	hA	5
-Lottie Eckford*	Rose and White, edged blue		5	h A	5
—Cupid	Dwarf White	white	1/2	hA	15
—Eckford's*	New Hybrid	div.	5	hA	5
varius*	Finest Mixed	div.	5	hA ,	5
latifolius*	Everlasting Peas	rose	5	hP	5
—albus*	White	white	8	hP	10
Collection	See page 52.				-
Lavatera trimestris	Lavatera, Red	red	2	hA	5
Leptosiphon roseum	Leptosiphon, Rose	rose	1	hA	5
Liatris pycnostachya	Kansas Gay-feather	pink	3	hP	10
Linaria maroccana	Rose Linaria	rose	3/4	hhA	5
bipartita striata	Striped Linaria	div.	ï	hA	10
cymbalaria	Kenilworth Ivy	lilac	tra.	hP	10
Linum Lewisi variegatum	Flax, Variegated	li. & w.	2	hhA	10
	Crimson		I	hhA	
















Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Linum perenne	Flax, Perennial	blue	2	hP	\$0 10
flavum	Yellow	yellow	3/4	hP	10
Loasa lateritia*	Orange Loasa Vine	orange	6	tA	10
Lobelia gracilis	Lobelia, Slender	l. blue	tra.	hhA	10
—alba	White	white	tra.	hhA	10
Prima Donna	Maroon	maro'n	1/2	hhA	10
erinus marmorata	Paxtoniana	div.	1/2	hhA	10
-Emperor William	Azure-blue	blue	1/2	hhA	10
-Crystal Palace	Blue	• • • • • •	1	hhP	10
-Royal Purple	Blue, White Eye		I	hhP	10
speciosa compacta	Crystal Palace Dwarf	blue	1/2	hhA	25
Queen Victoria	Scarlet Cardinal flower	scarlet	2	hP	10
Lophospermum in vars*	Mixed Lophospermum	div.	8	tP	10
Lunaria biennis in vars	Honesty, or Satin-flower	br. & w.	2	hB	5
Lupinus pilosus	Sun-dial, Large Rose	rose	2	hA	
luteus	Yellow	yellow	2	hA	
hirsutus	Large Blue	blue		hA	!
albus	White	white	2	hA	
hybridus insignis	Dark Red	d. red	2	hA	10
Cruikshankii	Dark Blue		3	hA	
tricolor elegans	Three-colored	tri.	_3	hA	- S
varius	Mixed	div.	div.	hA	
polyphyllus	Mixed Perennial	div.	div.	hΡ	
Lychnis chalcedonica	Lychnis, Scarlet	scarlet	3	hP	
—alba	White	white	3	hP	
Malcolmia maritima	Virginian Stock	red	1/2	hA	
Malope grandiflora	Large-flowered Malope	red	2	hA	
Malva zebrina	Striped Mallow	w.& pur	2	hA	5
Marigold	See Tagetes.				
Martynia fragrans	Fragrant Martynia	purp'e	2	hhA	5
Mathiola annua in vars	Stocks, Ten-Weeks, English	div.	I	hA	
—fl. pl. mixed	German Large-flowering	div.	I	hA	10
-Snowflake	Double White	white	I	hA	25
bicornis	Night-scented	pink	1 1/2	hA	10
glabrum albus	Wallflower-leaved	white	1	hA	10
—coccineus	Scarlet	scarlet	I	h A	10
-varius	Mixed	div.	ī	hA	10
biennis	Buck's Stock Gilli, Intermediate.	scarlet	11/4	hhB	10
-simplicicaulis	White Brompton	white	2	hhB	10
—incarna purpurea	Purple Queen	purple	2	hhB	10
—fl. pl. in vars	Mixed German Brompton	div.	2	hhB	10
CHOICE COLLECTIONS	See page 52.				
Matricaria eximia	Matricaria, Quilled	white	I	hhB	5
—grandiflora	Double White	white	1 1/2	hhB	5
Maurandya Barclayana*	Maurandya, Blue	blue	8	tA	10
-rosea*	Rose	rose	8	tA	10
coccinea*	Scarlet	scarlet	8	tA	10
albiflora*	White	white	8	tA	10
varius*	Mixed	div.	8	tA	10
Mesembryanthemum cor-	Too wlamb Ammuol	bita	1/	4.4	
difolium	Ice-plant, Annual	white	1/2	tA bbD	
-variegatum	Variegated foliage	ro. & p.	1/2	hhP hhA	10
glabrum	Dew Plant	red	3/4	IIIA	
Mignonette	See Reseda.	pink	т.	tA	
dimosa pudica	Sensitive Plant	yellow	I I/	tA tA	10
Mimulus moschatus	Monkey-flower, Yellow		1/2 1/2	hP	
Roezl's		yellow div.		hP	25
cupreus in vars	Hybrid	spot.	1 3/4	tP	10
hybridus tigrinus		div.	74 3/4	tP	
—flore pleno	Double Mixed Mexican Climbing Vine	wh. & r.		tA	25
Mina lobata*			15		
	Marriel of Down Mirrod				
Mirabilis jalapa in vars —longiflora in vars	Marvel of Peru, Mixed	div.	2 2	hA hA	5



Phlox Drummondii.

Petunia nana compacta.

Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Momordica balsamina*	Balsam Apple	yellow	10	hhA	\$0 05
charantia*	Balsam Pear	yellow	10	hhA	5
Musa Ensete	Abyssinian Banana	y. & br.	10	tΡ	25
Myosotis alpestris	Forget-me-not, Alpine	blue	1/2	hhP	10
-Victoria	Double Blue	blue	1/2	hhP	25
azorica	Dark Blue	blue	1/2	hhP	10
palustris	Blue and White	b. & w.	3/4	hhP	10
dissitiflora	Large Blue	blue	I	hhP	10
Myrsiphyllum asparagoides	Smilax Vine	green	6	tP	10
Myrtus Communis	Broad-leaved Myrtle	white	2	tΡ	10
Nasturtium.	See Tropæolum,				
Nemophila discoidalis	Love-grove, Bordered	blk.&w.	3/4	hhA	5
insignis	Bright Blue	blue	1/2	hhA	- 5
—alba	White	white	3/4	hhA	5
maculata	Spotted	div.	3/4	hhA	5
in varieties	Mixed	div.	div.	hhA	5
Nicotiana affinis	Flowering Tobacco	white:	3	hhA	10
Nierembergia gracilis	Graceful Nierembergia	w. & li.	I	hhP	10
Nigella damascena	Blue Love-in-a-mist	blue	I	hA	5
Nolana prostrata	Trailing Nolana	b.&blk.	tra.	hA	5
Nycterinia capensis	(Nycterinia odorata)	white	3/4	hhA	10
Obeliscaria pulcherrima	Showy Obeliscaria	cr. & y.	2	hhP	5
Enothera biennis	Evening Primrose, Fragrant	yellow	2	hB	5
bistorta Veitchii	Spotted	y. & cr.	I	h A	5
Lamarckiana	Light Yellow	yellow	3	hB	5
Orobus niger	Bitter Vetch	purple	I	h A	5
Oxalis rosea	Oxalis, Rose	rose	1/2	hhP	10
delicata	Rosy Salmon	ro.&sal.	1/2	hhP	10
Valdiviensis	New Sweet	yellow	3/4	hhP	IO
Tropæoloides	Yellow-brown foliage		1/2	hhA	10
Pansy, or Heart's-ease	See Viola tricolor.	Į.			
Papaver Rhœas	African Rose	div.	1 1/2	h A	5
glaucum	Tulip Poppy	scarlet	1 1/2	hA	10
album	Poppy, Double White	white	2	hA.	5
coccineus	Double Scarlet	scarlet	2	hA	5
umbrosum	Rich Vermilion, Black Spot.	ver.	1 1/2	h A	5
Fairy-blush	Double White, Rose-tipped		2	hA	10
The Shirley	Mixed	div.	2	hA	10
Mikado	Mixed	div.	2	hA	10
ranunculiflorum	Mixed French	div.	2	hA	5
somniferum fl. pl	Mixed Carnation	div.	2	hA	5
nudicaule	Iceland Poppy, Mixed	• • • • • • • • • • • • • • • • • • • •	2	hP	10
orientale	Red Asiatic	r. & bl.	2	hhP	10
croceum	Yellow Asiatic	yellow	1 1/2	hhP	10
COLLECTION	See page 52.	3.			
Passiflora in vars.*	Mixed Passion Flower	div.	10	tP	10
Pelargonium zonale	Geranium, Mixed	div.	div.	tP	10
—tricolor	Three-colored	div.	div.	tP	25
odoratissimum	Apple-scented	pink	1/2	tP	25
hybridum in vars.	Finest Mixed	div.	div.	tP	25
Pentstemon gentianoides		pur.&w.	2	hhP	10
—cœruleus	Hartweg's	blue	2	hhP	10
—in varieties			2	hhP	10
Perilla Nankinensis	Ornamental-leaved Perilla	purple	2	hhA hhA	5
Petunia Phœnicea	Petunia, Purple	purple	tra.	hhA	5
nyctaginiflora			1 .	hhA	5
striata		striped	tra.	hhA	10
Countess of Ellesmere.		ro. & w.	tra.	hhA	
varius		div.	tra.	hhA	5
hybrida grandiflora			tra.	hhA	25
— —inimitable				hhA	25
	LIWELL SHIPPEL	- SULLUCU	72	1 111171	, 10
— — nana compacta — — aurea			tra.	hhA	25

Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Petunia fimbriata fl. pl	Petunia, New Fringed	div.	tra.	hhA	\$o 50
Collections	See page 52.				* 3
Phaseolus multiflorus*	Scarlet Flowering Bean	scarlet	10	tA	5
Phlox Drummondii alba	Phlox Drummondii, White	white	I	hA	10
—alba fl. pl	Double White	white	I	hA	10
—oculata	White, Purple-eyed	white	1	hA	10
—Leopoldiana	Pink, White-eyed	pink	I	hA	10
—coccinea	Deep Scarlet	scar,	I	hA.	10
—Isabellina	Pale Yellow.	yellow	I	hA	10
Chamois Rose	Light Rose	rose	I	hA	10
-William I	Red-striped	div. div.	I	hA hA	10
—Black Warrior —marmorata	Dark Red	div.	I	hA	10
—Princess Royal	Lilac, White-edged	div.	ī	hA	10
—variabilis	Slate-blue, Marbled	div.	ī	hA	10
—compacta	Dwarf Blood-red	red	1/2	hA	10
—cuspidata and fim-	D wait Diood-icu	160	/2	11.11	10
briata	Star-shaped, Mixed	div.	1	hA	10
-varius	Fine Mixed	div.	ī	hA ·	5
—grandiflora	Large Mixed	div.	I	hA	10
	Large-flowering	cr. & w.	1	hA	10
Heynholdi	Brilliant Scarlet	scarlet	I	hA	10
hortensiæflora	Hydrangea	rose	I	hA	25
decussata	Mixed Perennial	div.	div.	hP	10
COLLECTION	See page 52.				
Pinks	See Dianthus.				
Platystemon Californicum	California Poppy	yel!ow	1	hA	5
Polemonium coeruleum	Jacob's-ladder, Blue	blue	1/2	hP	5
album	White	white	1/2	hP	5
Polycalymma Stuarti†	Bicolor Everlasting	y. & w.	1 1/2	hhA	10
Polygala, in varieties	Fine Mixed Polygala	div.	div.	tP	25
Poppies	See Papaver.				
Portulaca splendens aurea.	Sun-plant, Yellow	yellow	1/2	hA	5
purpureus	Purple	purple	1/2	hA	5
—albiflora	White	white	1/2	hA	5
-Thellusoni	Scarlet	scarlet	1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2	hA	5
—bicolor	Yellow and Purple	y.&pur.	1/2	hA	5
aurantiaca	Orange	orange	1/2	hA.	5
-rosea	Rose	rose	1/2	hA	5
-caryophylloides	Striped	div.	1/2	hA	5
-varius	Mixed Single	div.	1/2	hhA	5
—flore pleno	Mixed Double	div.	1/2	hhA	10
Collections	See page 52.				
Potentilla, in varieties	Mixed Potentilla	div.	I	hP	10
Primula elatior, in vars	Mixed Polyanthus	div.	1/2	hhP	10
auricula	Fine Mixed Auricula	div.	1/2	hhP	25
Japonica	Primrose, Purple	purple	I	hhP	10
obconica	Everblooming	white		tP	25
vulgaris	English Yellow	yellow	I 2/	hP	10
fimbriata alba	Chinese Primrose, Fringed	white	3/4	tP	25
-rosea	Fringed Rose		3/4 3/4	tP	25
elegantissima	Fringed Spotted			tP	50
-striata	Fringed Striped		div.	tP	25
—flore pleno	Fringed Double	div.	div.	tP	50
—varius	Fringed Single	div.	div.	tP	25
—filicifolia	Mixed Fern-leaved	div.	""	tP	50
COLLECTION	See page 52.	white	T1/	hhP	
Pyrethrum parthenium	Feverfew, Double		1 1/2	hhP	10
auratum	Golden-leaved	yellow	2 2	hP	10
	Rose-flowered Pyrethrum	buff	1	hA	10
Reseda odorata	Mignonette, Sweet	buff	1	hA	5
—grandiflora —ameliorata	Large Sweet	1	1 1/2	hA	5
	I VIGHHUGH	1030	1 1/2	TTT T	

Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Reseda grandiflora aurea	Mignonette, Golden Queen	gol. y.	I	hA	\$0 10
-Machet	New Dwarf Pot	ied	1	hA	10
-Gabrielle	Robust, Large Spike	red	3/4	hA	10
—gigantea	Crimson Giant	crim.	2	hA	5
-Miles' Hybrid	New Spiral	buff	I 1/2	hA	5
eximea	Parsons' White	white	ľ	hA	5
Rhodanthe Manglesit	Everlasting-flower, Rose	rose	ı	tA	10
maculata	Three-colored	y r.&bk	2	tA	10
—alba†	New White	white	1 1/2	tA	10
varius	Mixed	div.	div.	tA	10
Ricinus sanguineus	Castor-Bean, Red		10	tA	5
Borboniensis	Large Green	vio.	15	tA	5
Cambodgensis	Ebony Black		6	tA.	10
giganteus	New Giant		10	tA	10
Gibsoni	Dark Red	d. red	4	tA	10
varius	Mixed	div.	div.	t A	5
Rosa in varieties	Fine Mixed Rose	div.	div.	hhP	10
Salpiglossis hybrida	(Salpiglossis grandiflora)	div.	1 1/2	hhA	10
Salvia patens	Salvia, Light Blue	blue	I	tP	25
splendens	Brilliant Scarlet	scarlet	3	tP	10
—compacta erecta	Bonfire	d scar.	3.	tP	15
argentea	Silver-leaved	white	3	hP	10
horminum	Purple Clary	purple	1	hA	5
Sanvitalia procumbens	Sanvitalia, Yellow and Brown		tra.	hA	5
—flore pleno	New Double	yellow	tra.	bA	5
Saponaria calabrica	Bouncing-Bet	pink	I	hA	5
Saxifraga in varieties	Mixed Saxifraga	div.	tra.	hhP	10
Scabiosa candidissima	Mourning-Bride, White	white	I ½	hA	5
coccinea nana	Carmine	car.	1 1/2	hA	5
varius	Dwarf Mixed	div.	1	hA	5
Collection	See page 52.	u.,	•	1111	J
Schizanthus Grahami	Schizanthus, Red and Orange	r. & o.	2	hA	5
Priesti	Pure White	white	2	hA	5
in varieties	Fine Mixed	div.	2	hA	5
Sedum azureum	Stone-Crop	yellow	1/2	hP	10
Maximowiczii	New Golden	yellow	1/2	hP	10
Senecio elegans alba	Jacobæa, White	white	I	tA	5
—purpurea	Purple	purple	ī	tA	5
Silene armeria	Catchfly, Lobel's	pink	1 1/2	hA	5
—compacta	Rose-Purple	l. pur.	1/2	hA	5
Solanum capsicastrum	Orange-fruited Solanum		ī	tP	10
melongena	Egg-Plant, White	white	ī	tA	5
—coccineum	Scarlet		3	tA	5
Statice Bonduelli	Statice, Golden	yellow	I	hhP	10
Suworowi	Rose	rose	I	hhP	10
incana hybrida	Hybrid Mixed	div.	1 1/2	hP	10
Stevia serrata	Vanilla-scented Stevia	white	3	tP	. 10
Stocks	See Mathiola.		3		
Sweet Peas	See Lathyrus.				
Tacsonia ignea*	Passion-Flower-like	div.	10	tP	25
Tagetes patula aurea fl. pl	Marigold, Double Golden	yellow	1	hA	5
-striata fl. pl	Double-striped	y. & br.	I ½	hA	5
striata	Cloth of Gold	striped	1 1/2	hA	5
pumila	Golden Ring	orange	ĭ	hΑ	5
Little Brownie	Single-flowering yellow	y. & cr.	2	hA	5
varius fl. pl	French Double Mixed	div.	ī	hA	5
erecta citrina fl. pl	Lemon African	yellow	2	hA	5
—aurantiaca fl. pl	Orange African	orange	2	hA	5
-Nugget of Gold	Golden Yellow African	yellow	1 1/2	hA	10
-El Dorado	Double African	div.	2	hA	10
signati pumila	Yellow-striped (for edging)	y. & br.	I	hA	5
Collection	See page 52.	,	-		,
		bita		L L A	-
Thunbergia Bakeri*	Thunbergia, Pure White	white	4	hhA	5

Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
		1			
Thunbergia alata*	Thunbergia, Buff, Dark-eyed		4	hhA	\$0 05
in varieties*	Superb Mixed		4	hhA	5
Torenia edentata	Fournier's New Torenia	· 1	1/2	tP	25
Tournefortia heliotropioi's.	Summer Heliotrope	blue	tra.	hhA	10
Trachelium coeruleum	Blue Trachelium		2	hB	10
Trichosanthes colubrina*	Climbing Scarlet-fruited Cucumber	white	10	tP	10
Trifolium odoratum	Sweet-scented Clover	white	3	hA	5
Tropæolum peregrinum*	Canary-bird Flower	yellow	8	hA	10
majus Lobbianum	Nasturtium, Mixed Perennial	div.	6	tP	10
Tom Thumb King	Dwarf Carmine	car.	I	hA	5
	Dwarf Yellow	yellow	I	hA	5
- Bronze color	Dwarf Bronze	bronze	1	hA	5
— — Pearl	Dwarf Blush	cream	I	hA	5
— -Ruby King	Dwarf Ruby		I	hA	5
Golden King	Dwarf Golden		I	hA	5
- King Theodore*	Dwarf Purple		I	hA	5
— Empress of India.	Dwarf Crimson		I	'nΑ	5
— —varius	Mixed Tom Thumb (Finest).		I	hA	. 5
majus Schillingi*	Light Yellow		6	hA	
—The Pearl*	Cream-White		6	hA.	5
—Dunnetti*	Bright Orange		6	hA	5
	Dark Crimson		6	bA	5
-King Theodore*	Crimson		6		5
-atrosanguineum*	Crimson	crim.		hA	5.
-Madam Gunter Hy-		a:	6	1. 1. 4	
brids*	Mixed Tell (Einest)	div.	6	hA .	10
varius*	Mixed Tall (Finest)	div.	6	hA	5
Choice Collections	See page 52.	3.	_	1-D	
Valeriana in varieties	Mixed Garden Valerian		2	hP	5
Greek	Sweet-scented		2	hP	5
Venidium calendulaceum	Orange, Brown Center		I	hhA	10
Verbena hybrida alba	Verbena, Pure White	white	tra.	hhP	10
-striata	Italian, Striped	striped	tra.	hhP	10
coccinea	Bright Scarlet	scarlet	tra.	hhP	10
—Defiance	Dark Scarlet	d.s.	tra.	hhP	10
—cœrulea	Beautiful Blue	blue	tra.	hhP	10
Mammoth	Mammoth Mixed	div.	tra.	hhP	10
—in varieties	Finest Mixed	div.	tra.	hhP	10
	Fine Mixed	div.	tra.	hbP	10
tencroides	White Sweet	white	tra.	hA	10
CHOICE COLLECTION	See page 52.	ł.		1	
Veronica Syrica	Dwarf Blue Veronica	blue	1/2	hhA	10
Vinca alba rosea	Periwinkle, Madagascar	w. & ro	I	tA	10
—nova	Pure White	white	I	tA	10
rosea	Rose, Dark-eyed		τ	'tA	10
varius	Mixed	div.	I	tA	10
Viola tricolor cœrulea	Pansy, or Heart's-ease, Blue		1/2	hhP	10
-Bugnot's	Superb strains.		1/2	hhP	25
—Faust	King of the Blacks	black .		hhP	10
—alba	White		1/2	hhP	10
—Prince	Yellow	vellow	1/2	hhP	10
4 - 4 - 4	D 1 1 D			hhP	P 2
—striata		div.	1/2		25
—Emperor William			1/2	hhP	10
—Odior	Five-blotched, extra	div.	1/2	hhP	25
-Lord Beaconsfield	Violet and Lavender		1/2	hhP	10
-Mahogany-colored	Reddish Brown		1/2	hhP	10
—maxima, in vars	Finest Mixed English		1/2	hhP	25
-varius	Fine Mixed	div.	1/2	hhP	10
Trimardeau	Extra Large Mixed	div.	1/2	hhP	25
CHOICE COLLECTION	See page 52.				,
Winlada '-	Mixed Sweet Violet	div.	1/2	hhP	10
Violets, in vars		Inle a c	I +	hA	
Viscaria oculata	Rose of Heaven, Pink	pk. & s.	I		. 5
Viscaria oculata elegans picta	Painted		I	hA	5
Viscaria oculata		cr. & w.	1		5

Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Waitzia grandiflora†	Large-flowered Waitzia	yellow	2	tA	\$0 2
Whitlavia grandiflora	Whitlavia, Violet-blue		I	hA	*
-gloxinoides	Gloxinia-like	w. & b.	1	hA	10
Wigandia Vigieri	Ornamental-leaved		4	tΡ	1
Xeranthemum annum+	Everlasting-flower	purple	2	hA	
—album∤	White	white	2	hA	
imperalis fl. pl+	Dark	pur.&v.	2	hA	1
varium†	Mixed		2	hA	
Zauschneria Californica	Scarlet Tubular-flowered	scarlet	ı	hhP	2
Zea Japonica	Striped-leaved Japanese Maize	w. & gr.	5	hhA	
Zinnia elegans alba	Zinnia, Double White		2	hA	1
-cocinea	Double Scarlet		2	hA	10
-aurea	Double Yellow	yellow	2	hA	I
—purpurea	Double Purple	purple	2	hA	I
-violacea	Double Violet	violet	2	hA	10
-grandiflora robusta	Double Large-flowering	div.	2	hA	10
—zebra	Double Carnation, striped	striped	2	hA	10
—in vars	Double Mixed		2	hA	10
—Tom Thumb	Dwarf Double Mixed	div.	· I	hA	10
-New Pompon	Double Cone-shaped	div	I	hA	10
Haageana fl. pl	Mexican Double		11/4	hA	10
Collections	See page 52.				

ORNAMENTAL GRASSES.

Per pkt.	Per pk t
Agrostis pulchella (hA)\$o 10	Coix lachrymæ (Job's-Tears) (hA)\$o o5
Agrostis nebulosa (fine) (hA)	Eragrostis elegans (Love-Grass) (hA) 5
Anthoxanthum gracilis (hhP)	Erianthus Ravennæ (hP) 10
Arundo Donax (hhP)	Eulalia Japonica (hP)
Avena sensitiva (Animated Oats) (hA) 5	Festuca rigida (hP)
Bromus brizæformis (hA) 5	Gynerium, sp. (Pampas Grass) (hhP) 10
Briza maxima (Quaking Grass) (hA) 5	Hordeum jubatum (hA) 5
Briza gracilis (hA) 5	Lagurus ovatus (Hare's-Tail) (hA) 5
Brizopyrum siculum (hA)	Setaria macrochæta (hA)
Chrysurus aureus (Lamarckia) (hA) 5	Stipa pennata (Feather-Grass) (hP) 10



Collections of Flower Seeds.

GERMAN AND FRENCH FLOWER SEEDS.

Raised and put up by celebrated cultivators in Europe, and sold in the original packets as received.

ASTERS.

Truffaut's French Pæony-flowered Per-	Dwarf Chrysanthemum-flowered Ger-	
fection, 12 distinct varieties\$0 75	man, 6 varieties\$0 Rose-flowered German, extra fine, 8 va-	50
Truffaut's Imbricated Pompon French,	rieties	7.5
12 varieties	Cocardeau, or Crown (white center), 6	
Quilled Double German, 12 varieties 75		50
New Dwarf Bouquet German (Boltz),		50
	Betteridge's Prize, 12 varieties	75
, ,	rieties	50

BALSAMS.

rieties\$0 'Double Dwarf Camellia-flowered, 6 va-	75 75
CKS.	
Wallflower-leaved Ten-Weeks, 10 superb varieties	75 75
COLLECTIONS.	
Petunia fimbriata fl. pl., 6 varieties	00 75 75 75 75 75 75 75 75 75 75 75 75 75
	50
	Double Dwarf Camellia-flowered, 6 varieties

OUR OWN SELECTION.

The packets are beautifully illustrated with a chromo-lithographed portrait of the flower as true to nature as it can be made. Cultural directions in English, German and French accompany each packet.

100	Packets	of Annuals,	Biennials	and Perennials,	best assorted\$8	00
100	"		"	"	good assorted 4 of	00
50	"	66	"	"	best assorted 4 c	00
50	"	"	"	"	good assorted 2 o	00
25	"	"	best assort	ed		00
20	"	"	good assor	rted	I C	00
12	"	"	best assort	ted	I C	00
10	"	"	good assor	ted		50
12	66	"	New and 1	Favorite kinds	I 5	50

FLOWER SEEDS BY WEIGHT.

For Other Varieties, See Pages 33 to 51.

Per oz.	1	Per	oz.
Ageratum Mexicanum, blue \$0 50	Lathyrus (Sweet Peas), White	\$ 0	20
Althæa (Hollyhock), Double Mixed 75	" Scarlet		20
" Double White 1 oo	" Painted Lady		20
Alyssum, Sweet, white 40	" Mixed Finest Per lb., \$1 .		15
" compacta 50	Lobelia gracilis, Blue		75
Amaranthus tricolor 30	" speciosa, Crystal Palace	I	50
Aquilegia (Columbine) Mixed 50	" compacta	3	00
Aster Chinensis, Fine Mixed 50	Lupinus (Lupins), Mixed Annual		25
" German Quilled, Mixed 50	Malcolmia (Virginian Stocks), Lilac		30
"Truffaut's White 1 50	Mathiola (Stocks, Ten-Weeks), English		
" Blood Red 2 00	Mixed		75
cœruleus	" Finest Mixed		00
" Perfection, Mixed 1 50	" Snowflake		00
Balsamina (Balsam) Paris, Mixed 50	Mesembryanthemum (Ice Plant)		50
" Camellia-flowered, Mixed 1 oo	Mimosa (Sensitive Plant)		75
Double White,	Mimulus (Musk Plant)		00
Cacalia (Scarlet Tassel Flower) 50	Mirabilis (Marvel of Peru)		25
Calendula (Marigold), Double Pot	Myosotis (Alpine Forget-me-not), Blue		75
Meteor	Myrsiphyllum (Smilax Vine)		75
Calliopsis (Coreopsis)	Nemophila insignis, Blue		30
Canna (Indian Shot), Crozy's Mixed 75	Fine Mixed		25
Cardiospermum (Balloon Vine) 25	Papaver (Poppy), French Mixed		30
Centaurea gymnocarpa	" (The Shirley)		75
	Perilla Nankinėnsis, Purple-leaved		25
	Petunia, Purple		50
Cobœa scandens, Purple			50
Convolvulus major (Morning-Glory) 20	Mixeu		75
minor, Fine Mixed 25	DALIA	4	
Delphinium (Larkspur), Tall Branch-	Phlox Drummondii, White	I	00
ing 30	" " Scarlet Fine Mixed	1	00
" Dwarf Rocket 30	Portulaca (Sun Plant), White		50
Dianthus Chinensis (Indian Pink),	"Scarlet		50 50
Mixed 50	" Mixed		50
" barbatus (Sweet William),	" Double, extra	-	00
Mixed 30	Pyrethrum aureum (Golden Feather).	, ,	75
" Carnation Pink, Common	Reseda (Mignonette, Sw't), per lb., 75		15
Mixed 75	" Large per lb., \$1		20
Digitalis (Foxglove), Mixed 40	"Giant Pyramidal per lb., \$1		20
Dolichos (Hyacinth Bean) 25	" Machet		60
Eschscholtzia Californica, Orange 40	Ricinus (Castor Bean), Fine Mixed		15
Euphorbia, Variegated-leaved 40	" sanguineus, Red		25
Gilia, Fine Mixed 30	Salvia splendens (Mexican Sage)		00
Gomphrena (Globe Amaranthus),	Scabiosa (Mourning Bride), Mixed		50
White 40	Tagetes (Marigold), French Mixed		50
" Crimson 40	" African Mixed		50
Helianthus (Sunflower), Double Dwarf 25	Thunbergia Vine, Fine Mixed		50
Hibiscus Africanus (Bladder Ketmia) . 25	Trifolium (Sweet-scented Clover) .		20
Iberis (Candytuft), White 25	Tropæolum (Canary-Bird Vine)		50
White Rocket 25	" Nasturtium, Tall, Mixed.		20
" Crimson	" Tom Thumb, Mixed		20
Empress, Large White	Verbena, Fine Mixed		00
Mixed	DATIA FILE MIXEU.		00
Ipomœa (Cypress Vine), Scarlet 40	Viola (Pansy), Fine Mixed		00
vviite.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			00
" Star 25	Zinnia elegans, Double Mixed		40

SEEDS ADAPTED TO GREENHOUSE CULTURE.

The annexed are adapted to culture in the dwelling-house or greenhouse, though many varieties will answer for the border during the summer months. The kinds mentioned will be found under their scientific names in the descriptions of Flower Seeds.



FUCHSIA.

Acacia, in varieties. Alstrœmeria hybrida. Angelonia grandiflora. Azalea Indica. Begonia hybrida. Calceolaria, in varieties. Campanula pyramidalis. Centaurea Clementei. gymnocarpa. Chorozema, in varieties. Cineraria hybrida. Convolvulus mauritanicus Coronilla, in varieties. Cuphea platycentra. Cyclamen persicum giganteum. Dianthus caryophyllus (Carnation). Dracænsa, in varieties.

Abutilon, in varieties.

Dracocephalum (Balm of Gilead.) Epacris hybrida. Erodium (Musk Geranium). Eupatorium, in varieties. Euphorbia pandurata. Ferns, in varieties. Fuchsia, in varieties. Glaucium corniculatum. Gloxinia, in varieties. Grevillea robusta, Heliotropium (Heliotrope). Humea elegans. Impatiens Sultani. Ipomœa Learii. Kaulfussia, in varieties. Kennedya, in varieties. Lantana, in varieties. Lophospermum, in varieties. Mathiola (Stock Gilly). Maurandia, in varieties. Mimulus (Monkey-flower). Myrsiphyllum (Smilax). Myrtus (Myrtle). Nierembergia gracilis. Oxalis, in varieties. Passiflora (Passion-flower). Pelargonium (Geranium). Petunia, in varieties. Polygala, in varieties. Primula Sinensis (Chinese Primrose). Reseda (Mignonette). Salvia splendens. Senecio, in varieties (Jacobæa). Solanum ciliatum. capsicastrum. Stevia serrata. Tacsonia ignea. Torenia edentata. Tropæolum Lobbianum, in varieties.

USEFUL ORNAMENTAL FOLIAGE-PLANTS. (Suitable for Borders and Sub-Tropical Gardening.)

Amaranthus salicifolius.

bicolor ruber.

" Henderi.

Aquilegia (Columbine).
Bocconia Japonica.
Canna (Indian-shot).
Cannabis gigantea (Giant Hemp).
Carduus benedictus.

Celosia cristata (Cockscomb).

"Huttonii."
Centaurea candidissima.
Cineraria maritima.
Datura meteloides.
Erythrina (Coral-plant).
Eryngium Leavenworthi.
Euphorbia marginata.
"pandurata.
Glaucium (Horned Poppy).

Helianthus (Russian Sunflower).

Vinca (Madagascar Periwinkle).

" argophyllus. centrochlorus fl. pl.

Humea elegans.
Liatris (Gay-feather).
Martynia fragrans.
Nicotiana affinis (Tobacco).
Ornamental Grasses.
Perilla Nankinensis.
Pyrethrum aureum.
Musa ensete.
Ricinus (Castor-oil Plant).
Salvia argentea.
Solanum coccineum.
Statice incana.
Trifolium odoratum.
Wigandia Vigieri.

Zea Japonica.

ANNUALS, ETC., FOR VASES AND HANGING BASKETS.

Ageratum, in varieties.
Alonsoa, in varieties.
Alyssum martimum.
Aubrietia deltoidea.
Brachycome (Swan River Daisy).
Calandrinia umbellata.
Callithoe pedata.
Centaurea candidissima.
Cineraria maritima.
Clintonia elegans.
Convolvulus minor.

Convolvulus minor.

"mauritanicus.
Eschscholtzia Mandarin.
Fenzlia dianthiflora.
Gilia tricolor, in varieties.
Heliophila Arabioides.
Iberis odorata, in varieties.
Leptosiphon, in varieties.
Linum (Flax).
Loasa lateritia.
Lobelia gracilis, in varieties.
Lophospermum, in varieties.

Malcomia (Virginia Stock). Maurandya, in varieties. Mimulus (Musk Plant). (Monkey-flower). Nemophila (Love-grove). Nierembergia gracilis. Nolana prostrata. Pelargonium, Zonale (Geranium). Petunia, in varieties. Portulaca, in varieties. Reseda odorata (Mignonette). Sanvitalia procumbens. Saponaria (Soapwort). Saxifraga, in varieties. Sedum (Stonecrop). Thunbergia, in varieties. Tropæolum (Nasturtium). Verbena. in varieties. Vinca (Madagascar Periwinkle). Viola tricolor (Pansy). Viscaria (Rose-of-heaven). Zinnia Haageana.

ANNUALS, ETC., FOR BOUQUETS AND NOSEGAYS.

Abronia umbellata. Ageratum, in varieties. Alyssum (Sweet Alyssum). Antirrhinum (Snapdragon). Aquilegia (Columbine). Asperula azurea. Aster Chinensis, and varieties Balsamina camélliæflora. Cacalia (Tassel-flower). Celosia kermesina. Centaurea (Sweet Sultan). cyanus (Bluebottle). Centranthus, in varieties. Chrysanthemum, in varieties. Clintonia pulchella. Collinsia, in varieties. Cynoglossum (Venus'-navelwort). Dianthus Chinensis (Pinks). barbatus (Sweet-william). caryophyllus (Carnation). Delphinium (Larkspur). Didiscus cœrulea. Erysimum (Hedge-Mustard). Gilia, in varieties. Gomphrena (Globe-Amaranthus).

Gypsophila, in varieties. Heliophila Arabioides. Heliotropium (Heliotrope). Hesperis (Sweet-Rocket). Iberis odorata, in varieties. Lathyrus (Sweet-Peas). Leptosiphon, in varieties. Lychnis chalcedonica. Mathiola (Ten-Weeks Stock). Myosotis (Forget-me-not). Nigella (Love-in-a-mist). Petunia hybrida. Phlox Drummondii, in varieties. Reseda (Mignonette). Salpiglossis hybrida. Scabiosa (Mourning-bride). Senecio (Jacobea). Silene Armeria (Catch-fly). Smilax asparagoides. Tournefortia (Summer Heliotrope). Tropæolum (Nasturtium). Verbena, in varieties. Viola tricolor (Pansy). Viscaria, in varieties. Zinnia elegans, fl. pl.

INDEX TO COMMON NAMES.

Common Name.	Botanical Name.	Common Name.	Botanical Name.
African Marigold	Tagetes.	Balm-of-Gilead	. Dracocephalum.
African Daisy		Balloon-vine	
Amethyst	Browallia.	Banana	. Musa.
Animated Oats	Avena.	Beans	. Phaseolus.
	Arnebia.	Bearded Pentstemon .	. Chelone.
	Statice.	Bee Larkspur	
Auricula	Primula:	Bladder Ketmia	
Balsams		Bluebottle	. Centaurea.
Balsam-apple		Bell-flower	
Balsam-pear	Momordica.	Bouncing Bet	. Saponaria.

Common Name.	Botanical Name.	Common Name.	Botanical Name
Blue Hibiscus Californian Poppy	. Anoda.	Larkspur	Delphinium.
Calomeria	Humea	London Pride	Nemonhila
Candytuft		Love-grass	
Canary-bird Flower	. Tropæolum.	Love-in-a-mist	. Nigella.
Canterbury Bells	. Campanula.	Love-in-a-puff	. Cardiospermum.
Cape Marigold	. Calendula.	Love-lies-bleeding	. Amarantus.
Carnation Pink Cardinal-flower	. Diantinus.	Maiden Pink	. Dianthus.
Castor Bean	. Ricinus.	Marvel of Peru	
Catch-fly	. Silene.	Mexican Poppy	. Argemone.
China Pink	. Dianthus.	Mignonette	. Reseda.
Chinese Bell-flower		Mock Orange	
Chinese Primrose Chinese Larkspur	. Primula.	Monkey-flower	
Clary	Salvia horminum	Monk's-hood	
Climbing Cucumber	. Cyclanthera.	Mountain Fringe	
Clove Pink	. Dianthus.	Mourning-Bride	
Cockscomb	. Celosia.	Musk Geranium	
Columbine		Musk Plant	
Coral Plant	Dracena	Nasturtium	
Coreopsis	. Callionsis.	Pasque-flower	Anemone.
Cowslip	. Primula veris.	Pasque-flower Pheasant's-eye	. Adonis.
Cypress-vine	. Ipomœa.	Pheasant's-eye Pink	. Dianthus.
Daisy	. Bellis.	Pinks	
Dame's Violet		Polyanthus	
Dew Plant Dusty Miller	Cineraria	Poppy	. rapaver.
Dutchman's Pipe	. Aristolochia.	Primrose	
Eccremocarpus	. Calampelis.	Prince's-feather	
Egg-plant		Quaking-grass	. Briza.
Eternal-flower		Rose, African	. Papaver Rhœas.
Evening Primrose Everlasting Peas	Latherne	Rose-of-Heaven	
Fever-and-Ague Plant.	. Eucalyptus.	Sage	
Feather-grass		Saffron	
Flax	. Linum.	Satin Flower	
Forget-me-not	. Myosotis.	Scotch Broom	
Foxglove	. Digitalis.	Sensitive-plant Silk Oak	. Mimosa.
French Marigold		Slipperwort	. Calceolaria.
Gas-plant	. Dictamnus.	Snapdragon	
Gay-feather	. Liatris.	Sneezewort	. Helenium.
Geranium	. Pelargonium.	Spider-flower	
Gilliflower	. Mathiola.	Stock Gilli	. Mathiola.
Globe Amaranth Glory Vine	Clianthus	Stone Crop	Datura
Gourds		Sun-dial	. Lupins.
Hawkweed	. Crepis.	Sunflower	. Helianthus.
Heart's-ease	. Viola.	Summer Heliotrope	
Heath		Swallowwort	. Asclepias.
Hedge Mustard	. Erysimum. Hedvsarum	Swan River Daisy Sweet-Clover	
Hedgehog Hollyhock	. Althæa.	Sweet-Peas	
Honesty	. Lunaria.	Sweet-Rocket	. Hesperis.
Honeysuckle	. Lonicera.	Sweet-Sultan	
Horned Poppy	Glaucium.	Sweet-William	
Hyacinth Bean Ice-plant		Tassel-flower	Nicotiana
Immortal-flower	. Xeranthemum.	Touch-me-not	. Impatiens.
Imperial Pink		Varigated Spurge	
Indian-shot	. Canna.	Venus' Looking-glass .	. Campanula.
Jacob's-ladder	. Polemonium.	Venus' Navelwort	. Cynoglossum.
Japanese Maize		Viriginan Stock Virgin's Bower	. Maicoimia,
Japan Pink		Wallflower	. Cheiranthus.
Joseph's Coat	. Amaranthus.	Windflower	
Lady's Slipper	. Balsamina.	Youth-and-old-age	
<u>-</u>			

Bulbs and Tuberous Roots.

The Following are Kept in Stock, or Supplied to Order:

TUBEROUS-ROOTED BEGONIAS.

The Tuberous-Rooted Begonias are among the handsomest of our summer-flowering bulbs

Single Finest Mixed. 10 cts. each, \$1 per doz., \$7 per 100.

Double Finest Mixed. 30 cts. each, \$3 per doz., \$22 per 100.

GLADIOLUS, FRENCH HYBRID.

Superb fall-flowering bulbs of easy growth; flowers are of much beauty and brilliancy.

Named Sorts. 25 cts. each, \$2 per doz. Extra Choice Mixed. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

DOUBLE TUBEROSES.

One of the most fragrant and beautiful of summer-flowering bulbs.

Italian Double. 5 cts. each, 50 cts. per doz. Pearl. The value of this over the preceding consists in its flowers being double the size, imbricated like a rose, and especially in its dwarf habit. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

ASTILBE JAPONICA.

(Spiræa Japonica.)

One of the most beautiful of hardy border plants; grows about 2 feet high, with branching spikes of pure white, feather-like flowers; excellent for forcing. 15 cts. each, \$1.50 per doz.

ASPARAGUS TENUISSIMUS.

One of the grandest acquisitions for decorative purposes. The stems or fronds retain their freshness and rich green color for a long time after being cut. 50 cts. each, \$5 per doz.

AMARYLLIS.

Splendid greenhouse bulbs, and also well suited for house culture.

Atamasco. 20 cts. each, \$2 per doz.
Formosissima. 30 cts. each, \$3 per doz.
Johnsonii. 75 cts. each.
Vitata rubra. 50 cts. each.

CONVALLARIA MAJALIS.

(Lily-of-the-Valley.)

The most charming of spring-flowering plants. Pips, per 100, \$2; large clumps, 50 cts. each; small clumps, 25 cts. each, \$2.25 per doz.

AMORPHOPHALLUS RIVIERI.

A very remarkable plant, of striking growth. Extra large bulbs, \$1 each; second size, 60 cts, each.

CALLA AETHIOPICA.

(Lily of the Nile.)

A well-known house plant of easy management, 25 cts. each, \$2.50 per doz.

CALADIUMS, FANCY.

Leaves spotted with various colors in the richest manner; superb for summer decorations.

Distinct Sorts. For pot-culture. 50 cts. each, \$5 per doz.

CALADIUM ESCULENTUM.

One of the most attractive ornamental foliage plants in cultivation. 25 cts. each, \$2.25 per doz.; extra large bulbs, 50 cts. each, \$4.50 per doz.

DWARF FRENCH CANNAS.

Tropical in effect, with rich foliage and large, bright flowers. 15 cts. each, \$1.50 per doz.

CYCLAMEN PERSICUM.

Flowers of elegant and distinct shape and delicate colors. Large bulbs, 30 cts. each, \$3 per doz.

DAHLIAS.

Well-known summer and fall-blooming plants, affording grand flowers of the brightest colors.

Single, Pompon and Large-flowering. Named sorts, 25 cts. each, \$2.25 per doz.

SPECTABILIS.

(Bleeding Heart.)

A good companion to Astulbe Japonica; has lovely pink and white flowers in June, gracefully borne. 30 cts. each, \$3 per doz.

ERIANTHUS RAVENNAE.

A fine ornamental grass, similar in habit of growth to the Pampas Grass; attains a height of 4 to 5 feet, producing feathery plumes in profusion, which are very attractive. 25 to 50 cts. each.

ERYTHRINA CRISTA-GALLI.

(Coral Plant.)

A beautiful tender greenhouse shrub; very ornamental. First size, 50 cts. each, \$4.50 per doz.; second size, 30 cts. each, \$3 per doz.



LILY-OF-THE-VALLEY,

EULALIA.

Japonica Zebrina. A remarkably ornamental grass, the long foliage being distinctly striped with white across the leaf. The flowering spikes, which are borne in the fall, have the form of ostrich plumes. Very valuable for massing. 75 cts. each.

Japonica var. Ornamental grass, of easy culture; perfectly hardy. Flowers fine for parlor ornaments, remaining fresh a long time. 50 cts. each.

FUNKIA (HEMEROCALLIS).

(Day Lily.)
Handsome perennial plants. They are quite hardy, and only require a moist soil and shady situation. 30 cts. each, \$3 per doz.

HELIANTHUS MULTIFLORUS PLENUS.

(Double Golden Sunflower.)
Perfectly hardy, and flowering from July
until frost. The flowers are of rich golden
yellow, and last a long time after being cut.
20 cts. each, \$2 per doz.

HYACINTHUS CANDICANS.

A magnificent hardy plant, producing in July and August a flower stem about 4 feet high, surmounted by a spike of numerous pendent bell-shaped, snow-white flowers to cts. each, \$1 per doz.

MANETTIA VINE,

(Manettia Bicolor.)
A rapid-growing plant, with scarlet and yellow flowers. An excellent pot plant. 15 cts, each, \$1.50 per doz.

MADEIRA OR MIGNONETTE VINE.

A beautiful climbing vine, of rapid growth. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

LILIUM.

(Lily.)

These magnificent bulbs are favorites everywhere. The beauty and delicacy of the flowers cannot be excelled.

Auratum. 15 cts. each, \$1.50 per doz.

Candidum. 15 cts. each, \$1.50 per doz.

Lancifolium rubrum. 25 cts. each.

10 roseum. 25 cts. each.

Tigrinum fl. pl. 25 cts. each. splendens. 25 cts. each.

MYRSIPHYLLUM ASPARA-GOIDES.

(Smilax.)

A very graceful climbing plant; can be used either to climb or droop; one of the most valuable plants for vases or hanging baskets. 25 cts. each, \$2.25 per doz.

PEONY, HARDY HERBA-CEOUS.

Large flowers, ranging from the purest white to the richest crimson, and most attractive. Large roots, 50 cts. each, \$5 per doz.

PAMPAS GRASS.

(Gynerium argenteum.)

A species of grass from South America, growing about 6 feet high, with plumes of yellowish white about 2 feet in length. 30 cts each, \$3 per doz.

RICHARDIA ALBA MACULATA.

(Summer Calla.)

Has white-spotted leaves and purplish flowers; very ornamental. 15 cts. each, \$1.50 per doz.

TIGRIDIA.

(Tiger-flower.)

Extremely handsome, producing many magnificent flowers in the open ground.

Conchiflora. 5 cts each, 50 cts. per doz., \$3.50 per 100.

Pavonia. 5 cts each, 50 cts. per doz., \$3.50 per 100.

TRITOMA UVARIA GRANDI-FLORA.

(Red-Hot Poker Plant.)

Very showy; produces long spikes of bright scarlet flowers—hence its common name. Large roots, 30 cts. each, \$3 per doz.

VALLOTTA PURPUREA.

Related to the Amaryllis family; produces very handsome flowers, but is rather tender. 50 cts. each, \$5 per doz.

SMALL FRUITS.

FOREIGN GRAPE VINES FOR VINERIES.

One-Year-Old Vines, \$1; Two-Year-Old Vines, \$2.

Bowood Muscat. Berries very large, of a rich amber color when ripe.

Black Alicante or Black Tokay. A large, showy black grape; fine late variety.

Black Barbarossa. Berries round, very large; a late variety.

Buckland's Sweetwater. Berries round, large; when ripe, of a pale amber; habit vigorous, and vine a good bearer.

Chasselas de Fontainebleau. Berries round and large, juicy and sweet.

Chasselas, White. Berries round; fair sized bunch.

Charlesworth White Tokay. Berries oval and large; bunch very large, juicy and rich.

Duchess of Buccleugh. Berries round, golden color; an excellent bearer.

Frontignac, White. Berries round, medium size; very rich; a good bearer.

 ${\bf Gros\ Colman.}\ {\bf A}$ very handsome grape; berries and bunches of enormous size; hangs very late.

Hamburg, Black. Large, sweet and juicy; a well-known and leading variety; very fine.

Lady Downs' Seedling. Berries large, oval, firm, sweet and richly flavored. One of the best late black grapes.

Madresfield Court. Berries very large, black, and of a rich muscat flavor; a superb grape.

Mrs. Prince's Muscat. Bunches large; berries medium size, nearly black.

Muscat of Alexandria. Berries large, oval, sometimes varying in size; pale amber when ripe; firm and rich.

Royal Ascot. Black oval berries; fine flavor.

Trentham Black. Berries oval; large, juicy and rich. A great bearer.

West's St. Peter's. A late black grape; keeps well.

White Nice. Large bunch, and of very good quality.

HARDY GRAPE VINES.

Agawam. One of the most reliable of the hybrid grapes; bunches large, berries very large, dark red; ripens with or soon after Concord, and is of peculiar aromatic flavor. 50 cents each.

Brighton. Very early, large, red; equal to Delaware in flavor and richness. 75 cents each.

Catawba. Late, red; somewhat pulpy, very sweet and rich, of an aromatic, musky flavor. Best in sandy soils. 30 cents each.

Concord. Early, large, black; tender, pulpy, with a sweet, foxy flavor. Does well everywhere, and is always reliable. 50 cents each.

Concord Chasselas. Early, very large, rich amber; free from foxiness. 75 cents each.

Delaware. Early, small, light red; juicy, with very soft pulp; very productive, and requires a rich soil. 50 cents each.

Diana. Late; reddish lilac, juicy and sweet; very vigorous and very good. 35 cents each.

Duchess. Whitish green; berries and bunch medium size; fine flavor. 50 cents each.


Eldorado. A very beautiful grape, clear golden yellow and of best flavor; ripens 10 days before Concord. 50 cents each.


Elvira. Medium early; pale green, juicy and sweet. 40 cents each.


Hartford Prolific. Extra-early, large and very productive. Desirable grape for home use.

Iona. Deep, reddish bronze; one of the best where it succeeds. 50 cents each.

Niagara. Large, white, tender and sweet; bunches very compact; a popular early white sort. 50 cents each.







TIMBRELL STRAWBERRY,

HARDY GRAPE-VINES, continued.

Isabella. Medium early; large purplish black; with little pulp. 30 cents each.
Lady Washington. White; bunches and berries quite large and of good flavor. 75 cents.
Lindley (Rogers' No. 9). Light bronze; berries medium size; of rich aromatic flavor. 50 cents each.

Martha. Very early, large, pale yellow; pulpy and very sweet. 35 cents each.

Merrimac (Rogers' No. 19). Early, large, black; one of the most vigorous and productive. 40 cents each.

Moore's Early. Berries large, black; bunches large and very compact. 50 cents each.

Prentiss. Bunch large; berries of medium size, yellowish green, sometimes tinted rose color. 75 cents each.

STRAWBERRIES.

Strawberries may be grown in any soil that will produce good garden vegetables. A light clay loam, well enriched with rotten barn-yard manure, is the most favorable soil for most varieties. (Prices are for pot-grown plants. Layer-plants at one-half the prices affixed.)

•	Per doz.	100.
Anna Kennedy (new). Pistillate. Fruit almost globular, of the most brillian flame color. The berries are rich, sweet and sprightly. Season medium tlate	o . \$ 1 00	\$6 oo
Brandywine (new). Bi-sexual. Fruit of large size, quite firm and shapely Foliage large and thrifty, entirely free from scale or blemish. Season	1	
medium to late	f	4 00
strong growth and exceedingly productive	. 50	3 00
Charles Downing. Bi-sexual. A well-known and popular family berry of fin flavor; the plants do well in most soils and locations		3 00
Cumberland Triumph. Bi sexual. An excellent early variety; berries of fin color, large, and of a delicious flavor.		3 00
Dayton (new). Bi-sexual. The plants are robust, compact growers; fruit of a crimson color, large in size, uniform in shape, and very productive. Early		
to medium	. 75	3 50
Eleanor (new). Bi-sexual. In size rivaling the Sharpless, retaining its size well to the end of the season; berries of a bright scarlet color. Season extra	l a	
early		6 00
Gandy. Bi-sexual. The berries are of mammoth size and shape, of a brigh crimson color; one of the best and finest late sorts introduced; flavor o	t f	
superior quality		3 50

STRAWBERRIES, continued. Per do	z . 100.
Greenville (new). Pistillate. Plants good, strong, healthy growers, with a compact, dark, rich foliage. Fruit large and firm, of a dark crimson color; quite regular in shape and ripens evenly. Very productive Midseason to late \$0.7	5 \$3 50
Lovett's Early. A vigorous, healthy grower; fruit large, firm, enormously productive; blossoms perfect	5 3 50
Parker Earle. A robust grower, with perfect flowers and good-sized fruit of fine quality; rather late	5 3 50
Sharpless. Bi-sexual. Berries very large, solid and of fine flavor; plants hardy; very large and vigorous	
Shuckless. The Shuckless is recommended as a strong grower, producing berries of uniform size in great abundance and of the best quality. A late variety,	
with perfect flowers	
Timbrell (new). Pistillate. The plants are large and strong; foliage of a dark, rich, healthy color; the fruit stalks are unusually strong, and hold the fruit	5 3 5 0
Van Deman. Bi-sexual. The fruit is large, of a dark glossy crimson, and fine	0 3 00
RASPBERRIES.	
Golden Queen. Large; fruit of a beautiful buff or amber color. One of the	
richest flavored berries	o \$6 oo
productive	
Cuthbert. Fruit red, large and sweet; very hardy 1 of Gregg. A new black-cap of the largest size; very productive, and of excellent	
quality	
Miller Red. Berry as large as Cuthbert; color bright red, and ripening very early; very productive	
BLACKBERRIES.	
Erie. Fruit large; firm, sweet and high-flavored; a vigorous grower; perfectly hardy	
Kittatinny. A stout, erect and vigorous-growing kind; fruit large and delicious. I co	
New Rochelle, or Lawton. Fruit very sweet and delicious when well ripened . 1 of	
Wilson's Early. Very good; large, firm and sweet; hardy and productive, and one of the earliest in fruit	0 6 02
CURRANTS.	oz. 100.
Cherry. A strong-growing variety; fruit of the largest size, deep red \$1 c	0 \$6 00
Fay's Prolific. Very large, and exceeding productive. Bunches of immense size. A popular red currant	o 6 oo
Red Dutch. The most prolific and best-flavored of the old red varities 1 c	
Versailles. Foreign; vigorous grower; fruit of the largest size, dark red 1 of	
White Grape. The best white variety; berry large, beautiful, best quality 1 of	
Victoria. Late red; of good quality	о боо
GOOSEBERRIES.	oz. 100.
Downing. Pale green; large, prolific and good. Best for both home and market use	5 \$8 00
Houghton's Seedling. Small to medium; fruit oval, pale red; very productive and free from rust 1 2	
Red Jacket. The most prolific and most valuable Gooseberry in America; as large as the largest; berry smooth. Very hardy. Quality best, and foliage	
best of any Gooseberry known	о 16 00

ORNAMENTAL SHRUBS AND VINES.

HARDY VINES AND CREEPERS.

Ampelopsis quinquefolia. (Virginia or Strawberry Creeper.) Leaves crimson in autumn; very strong grower. 30 cents each.

"Veitchii. (Japanese Ivy.) Leaves smaller than the preceding, and of regular size; a superb vine, and perfectly hardy; foliage is richly colored in autumn. 50 cents each.

Akebia quinata. Small sub-evergreen leaves; brownish flowers. 50 cents each.

Aristolochia sipho. (Dutchman's-pipe.) Large heart-shaped leaves; very ornamental flowers. \$1 each.

Bignonia radicans. (Trumpet-creeper.) Scarlet flowers in August; handsome. 40 cents each.

" grandiflora. Very large flowers, of a splendid orange color. 50 cents each.

Clematis coccinea. Flowers scarlet; very choice. 50 cents each.

" flammula. (Virgin's-bower.) White; very fragrant. 50 cents each.

' Jackmanni. Large purple flowers; a great favorite. 75 cents each.

Dolichos japonicus. A strong-growing large-leaved vine, which for rapidity of growth has no equal; strong plants will run fifty feet a season. 75 cents each.

Euonymus variegata. The leaves are variegated white and green; a distinct rapid-growing climbing plant. 40 cents each.

Hedera helix. (Evergreen Ivy.) Leaves large and luxuriant; a standard vine. 25 to 75 cents each.

" helix tricolor. (Tricolor-leaved Ivy.) Leaves green, white and rose; very pretty.

50 cents each.

Humulus lupulus. (Hop-vine.) A rapid grower; very ornamental. 30 cents each.

Hydrangea scandens. (Japan Climbing Hydrangea.) Leaves dark green; ornamental white flowers. A little tender while young. \$1 each.

Ipomœa pandurata. (Hardy Moon-flower.) Foliage large, with white flowers shading to pink; from 3 to 4 inches across; opens during the day. 25 cents each, \$2.50 per dozen.

Lonicera Belgica. (Honeysuckle.) Flowers all summer; very fragrant. 50 cents each.

Sinensis. (Chinese Honeysuckle.) Dark green foliage; one of the best. 50 cents.

reticulata aurea. (Golden-leaved Japan Honeysuckle.) Remarkably ornamental, with leaves of a distinct yellow effect. 50 cents each.

Menispermum Ganadense. (Moonseed.) A slender-growing vine, producing berries; ornamental in fall. 50 cents each.

Periploca Græca. (Virginia Silk Vine.) Foliage long, narrow and shining. 50 cents each.
Wistaria Sinensis. (Chinese Blue Wistaria.) Flowers pale blue, in June; a superb climber for any place. 75 cents each.

" Sinensis alba. The best white variety. \$1 each.

DECIDUOUS HARDY SHRUBS, ETC.

Amygdalus fl. pl. alba. (Double White Flowering Almond.) A beautiful early-flowering shrub. 75 cents each.

" fl. pl. rubro. A variety of the preceeding with rose-colored flowers. 60 cents.

Andromeda Mariana. A native shrub, blooming about the last of May, bearing beautiful

white flowers tinged with red. 50 cents each.

Berberis vulgaris. (European Barberry.) A handsome shrub; yellow flowers, followed in

fall with scarlet fruit. 50 cents each.

'atropurpurea. A purple-leaved variety of the above. 50 cents each.

DECIDUOUS HARDY SHRUBS, etc., continued.

Berberis Thunbergii. (Japan Barberry.) Of close, compact growth; the flowers come in May, and the fruit becomes ornamental in July, continuing up to winter time. 50 cents each.

Clethra alnifolia. Leaves light green; flowers white and very fragrant. 40 cents each. Calycanthus floridus. (Sweet-scented Shrub.) Flowers chocolate color; fragrant, like strawberries. 50 cents each.

Chionanthus Virginica. (White Fringe.) Leaves large, pointed and shining; flowers pure white, feathery or fringe-like. A useful lawn tree. 75 cents each.

Colutea Haleppica. A rapid-growing and attractive shrub, producing reddish bladder-like pods. Very ornamental. 50 cents each.

Cornus florida flore rubro. (Red-flowering Dogwood.) A variety of white dogwood, but having a deep rosy pink-colored flower; the leaves also are of a darker green than the old variety; it makes a good, upright, bushy growth. \$1 to \$2 each.

var. pendula. (Weeping Dogwood.) Its pendulous habit, large white flowers, and scarlet fruit and foliage in the fall, place it in the foremost rank. \$1 to \$2 each.

alba sanguinea. Remarkable in winter for the red color of its branches. 50 cts. each.

sanguinea variegata. Having very ornamental green foliage, striped with white during the whole season. 50 cents each.

Corylus. (Hazel.) A distinct very ornamental shrub; the leaves are of a deep, dark red color. almost black. 75 cents each.

Cratægus alba plena. (White-flowering Hawthorn.) Foliage and flowers very ornamental. 75 cents each.

coccinea fl. pl. Flowers double red, very large. 75 cents each.

Cotoneaster rotundifolia. Low spreading shrub, bearing white flowers. 60 cents each.

Cydonia Japonica carnea fl. pl. (Japan Quince) Flesh-colored double flowers, produced early in spring. 75 cents each.

rubra grandiflora. (Red Japan Quince.) Large red flowers; very showy. 50 cents each.

Cytisus laburnum. (Golden Chain.) Drooping yellow flowers; a handsome small tree. \$1

Daphne cneorum. A choice low-growing bush, bearing its sweet-scented rosy white flowers for several weeks of midsummer. 75 cents each.

Deutzia crenata fl. pl. alba. Flowers double white, tinged with pink. One of the best shrubs in cultivation. 50 cents each.

gracilis. Dwarf, compact; pure white. 35 cents each.

scabra. (Rough leaved Deutzia.) Bearing beautiful white spiral flowers. 50 cts. each. Euonymus Americanus. Shining green foliage, scarlet berries; fine in fall. 50 cents each.

latifolius. (Burning-bush.) Vigorous growing; scarlet berries, larger than the preceding. 50 cents each.

Fagus cuprea. (Copper Beech.) Leaves purple, early in the season. \$1.50 to \$5 each. laciniata. (Cut-leaved Beech.) Cone-shaped and compact; leaves showy. \$1.50 to \$3. Forsythia viridissima. (Golden Bell.) The best early-flowering shrub. 50 cents each.

Genista scoparius. (Scotch Broom.) Yellow; flowers in May. 40 cents each.

Hibiscus Syriacus atrorubens. (Althæa, or Rose of Sharon.) Showy purple flowers. 35 cents. foliis variegatis. Variegated foliage; highly ornamental. 60 cents each.

Hydrangea paniculata grandiflora. Immense white flowers; one of the finest shrubs in

cultivation. 75 cents to \$2 each.


hortensis. Changeable rose-colored flowers; very popular. 50 cents each. Itea Virginica. A very pretty shrub, bearing large erect spikes of white flowers, making a

fine appearance for a long time. 50 cents each. Ligustrum tricolor. (Privet.) Stands the sun well and forms a good bush; the leaves are

golden yellow, changing to white and green as it develops. 50 cents each. Lonicera Tatarica. (Upright Honeysuckle.) Pink flowers in May; handsome. 40 cts. each.

alba. A pretty upright shrub; white flowers in spring. 50 cents each. Magnolia conspicua. A Chinese tree producing large white flowers in spring. \$2 to \$5 each.

Soulangeana. Like above, but flowers are purple and white. \$1.50 to \$5 each.



WHITE LILAC (SYRINGA VULGARIS ALBA).

DECIDUOUS HARDY SHRUBS, etc., continued.

Pæonia Moutan. (Tree Pæony.) Very large flowers, of gorgeous colors. \$2 to \$3 each.

Philadelphus coronarius. (Mock-Orange or Syringa.) Strong-growing; pure white fragrant flowers in June. 50 cents each.

Prunus Sinensis. (Double White-flowering Plum.) Very pretty. 75 cents each.

"myrobolana. (Pissardi.) A purple-leaved Plum; there is always a rich purple foliage till autumn. 50 cents each.

Ribes aureum. (Missouri Currant). Shining glabrous leaves; early yellow flowers. 35 cents each.

Rhus cotinus. (Purple-Fringe or Smoke Tree.) A beautiful low-growing tree, covered with dark seed-vessels like a purple mist; very showy. 75 cents each.

glabra laciniata. (Cut-leaved Sumac.) Leaves of large size, deeply cut and drooping gracefully. Foliage scarlet in autumn. 50 cents each.

Salisburia adiantifolia. (Maiden-Hair Tree.) A Chinese tree of slow growth and distinct leaves. One of the most beautiful trees in cultivation. \$1 each.

Spiræa Billardii. Pink-flowered; a late blooming species. 50 cents each.

prunifolia fl. pl. (Plum-leaved Spiræa.) Double white flowers. 40 cents each.

Reevesiana fl. pl. Clusters of double white flowers, early in spring. 50 cents each. Symphoricarpus racemosus. (Snowberry.) White waxy berries in autumn; very ornamental. 50 cents each.

Syringa vulgaris. (Common Lilac.) Purple, sweet-scented flowers. 35 cents each.

alba. White, sweet-scented; very delicate. 40 cents each.

Persica. (Persian Lilac.) Small-leaved; purple flowers of a different shade. 40 cents each.

Tamarix Africana. Béautiful feathery foliage; makes a fine small tree. 50 cents each.

Viburnum plicatum. (Double Japan Snowball.) Distinct and good; of upright growth, with plaited leaves, and many pure white heads of flowers. 50 to 75 cents each.

Weigela amabilis. Pink flowers; free bloomer. 50 cents each.

" alba. White; very showy. 50 cents each.


" variegata. Beautiful variegated foliage. 50 cents each.

floribunda. The flowers are crimson, with projecting white stamens; quite distinct and valuable. 50 cents each.

Vitus Agnus-Castus. A handsome-leaved shrub; it bears panicles of lilac-blue flowers, and

the foliage is nicely scented. 50 cent each.

Also supplied to order, all the leading varieties of standard and dwarf Roses, Azaleas, Camellias, etc., Bedding and Flowering Plants, Fruit, Shade and Ornamental Trees.



FINEST MIXED LAWN GRASS.

Per qt., 25 cts.; per peck, \$1.25; per bushel, \$4.50.

Contains a mixture of the finest dwarf-growing kinds for Croquet Grounds, Lawns, Cemeteries, etc. These grasses will produce a constant verdure throughout the growing season, and have given the most perfect satisfaction.

One quart will seed about three hundred square feet; four bushels are required for an acre.

Grass seed may be sown in April or May, and again in September. The ground should be very carefully prepared, and made fine to receive the seed. After the seed is well up, and again at frequent intervals, the lawn should be rolled, which will greatly improve the turf.

Address

ALFRED BRIDGEMAN, 37 E. 19th St., NEW YORK.

